

參考文獻

Chapter 1

- [1] Feynman R. P., 1959, "There's Plenty of Room at the Bottom" , annual meeting of the American Physical Society, December 29.
- [2] Andreas Thess, Roland Lee, Pavel Nikolaev, Hongjie Dai, Pierre Petit, Jerome Robert, Chunhui Xu, Young Hee Lee, Seong Gon Kim, Andrew G. Rinzler, Daniel T. Colbert, Gustavo E. Scuseria, David Tománek, John E. Fischer and Richard E. Smalley, "Crystalline Ropes of Metallic Carbon Nanotubes," *Science* 1996(273),483-487
- [3] Iijima S., 1991, "Helical microtubules of graphitic carbon" , *Nature*, vol. 354 , pp.56-58.
- [4] Iijima S., Ichihashi T., "Single-shell carbon nanotubes of 1-nm diameter", *Nature*, 1993, vol. 363, pp.603-605.
- [5] A. G. Rinzler, J. Liu, H. Dai, P. Nikolaev, C. B. Huffman, F. J. R. Macias, P. J. Boul1, A. H. Lu1, D. Heymann1, D. T. Colbert, R. S. Lee, J. E. Fischer, A. M. Rao, P. C. Eklund and R. E. Smalley, "Large-scale purification of single-wall carbon nanotubes: process, product, and characterization", *Applied Physics A: Materials Science & Processing*, vol. 67, pp. 29-37, 1998
- [6] Sławomir Kulesza, Paweł Szroeder, Jaromir K. Patyk, Janusz Szatkowski and Marcin Kozanecki, "High-temperature electrical transport properties of buckypapers composed of doped single-walled carbon nanotubes," *Carbon* 2006(44),2178–2183
- [7] Jin Gyu Park, Shu Li, Richard Liang, Chuck Zhang and Ben Wang," Structural changes and Raman analysis of single-walled carbon nanotube buckypaper after high current density induced burning," *Carbon* 2008(46),1175-1183
- [8] Rita Smajda, Ákos Kukovecz, Zoltán Kónya and Imre Kiricsi," Structure and gas permeability of multi-wall carbon nanotube buckypapers," *Carbon* 2007(45),1176-1184
- [9] H. Muramatsu, T. Hayashi, Y.A. Kim, D. Shimamoto, Y.J. Kim, K. Tantrakarn, M.Endo, M. Terrones and M.S. Dresselhaus, "Pore structure and oxidation stability of double-walled carbon nanotube-derived bucky paper,". *Chemical Physics Letters* 2005(414),444-448
- [10] R. Kötz and M. Carlen, "Principles and Applications of Electrochemical Capacitors", *Electrochim. Acta*, 45 (2000) 2483-2498.
- [11] Bard A.J,Faulkner L.R共著，紹元華等譯著，電化學方法原理和應用，化學工業出版社，2005
- [12] R. L. D. Whitby, T. Fukuda, T. Maekawa, S. L. James and S. V. Mikhalovsky, "Geometric control and tuneable pore size distribution of Buckypaper and Buckydiscs", *Carbon*, vol. 46, pp. 949-956, 2008

Chapter 2

- [13] Chambers A,Nemes T,Rodriguez NM, et al. J Phys Chemb.1998, 102: 2251
- [14] 大谷衫郎、大谷朝男共著，賴耿陽 譯著，應用新科技碳纖維材料入門，復漢出版社有限公司，2000 年，台南。
- [15] Radovic LR, Rodriguez-Reinoso F. Carbon Materials in Catalysis In: .Chemistry and Physics of Carbon. Vol. 25. New York (NY): Marcel Dekker; 1997. pp.243-358.
- [16] 英 貢,大越昌幸，“Ablation of Carbon Materials Using Excimer Lasers, a Free Electron Laser, and Synchrotron Radiation”, the laser society of Japan, 2005 Digital Archive, pp.806-811
- [17] 成會明，張勁燕等。奈米碳管，五南圖書出版股份有限公司，2004 年，台北。
- [18] 山田能生，稻桓道夫。碳素(日)，1997, 178: 122
- [19] H. W. Kroto, J. R. Heath, S. C. Obrien, R. F. Curl, R. E. Smalley, Nature, 1985, 318, 162
- [20] T.W. Ebbesen and P.M. Ajayan, “Large-scale synthesis of carbon nanotubes”, Nature, vol.358, pp.220-222, 1992
- [21] D.S. Bethune, C.H. Klang, M.S. de Vries, G. Gorman, R. Savoy, J.Vazquez and R.Beyers, “Cobalt-catalysed growth of carbon nanotubes with single-atomic-layer walls”, Nature, vol. 363, pp.605-607, 1993
- [22] T. Guo, P. Nikolaev, A. Thess, D.T. Colbert and R.E. Smalley, “Catalytic growth of single-walled nanotubes by laser vaporization”, Chemical Physics Letters, vol.243,pp. 49-54,1995
- [23] T. Andreas, R. Lee, P. Nikolaev, H.Dai, P. Petit, J.Robert, C. Xu, Y. H. Lee, S. G. Kim, A. G. Rinzler, D.T. Colbert, G.E. Scuseria, D. Tomanek, J.E. Fisher and R.E. Smalley, “Crystalline ropes of metallic carbon nanotubes ”, Scine, vol.273,pp.483-487,1996
- [24] D.Gozzi, A.Latini and M. Tomellini, J. Phys. Chem. C 2009, 113, 45-53
- [25] R.Sen, A.Govindaraj and C.N.R. Rao, Chem. Phys. Lett. 267, 276, 1997
- [26] S. Fan, M.G. Chaplin, N.R. Franklin, T.W. Tombler, A.M. Cassell ans H.Dai, Science 283, 512,1999
- [27] C.J.Lee and J.Parl, Appl. Phys. Lett. 77,830,2000
- [28] Z.F. Ren, Z.P. Huang, J.H. Wang, P.Bush, M.P. Siegal and P.N. Provencio, Science 282, 1105, 1998
- [29] C.Bower, W.Zhu, S.Jin, O.Zhou, Appl. Phys.77, 830,2000
- [30] JH Han et al, Low Temperature Synthesis of Carbon Nanotubes by Thermal Chemical Vapor Deposition Using Co-Catalyst, Journal of the Korean Physical Society, Vol. 39, December 2001, pp. S116-S119
- [31] U.S. Patent 5753088
- [32] S. Yahachi, T. Yoshihiko and K. Atsuo,”Diameters of single-wall carbon nanotubes depending on helium gas pressure in an arc discharge ”,Physical Chemistry B, vol. 104 pp.483-487,1996
- [33] Yahachi Satio, Carnon 33, 7, 979-988, 1995
- [34] M. J. Yacaman, M. M. Yoshida, L. Rendon and J. G. Santiesteban,"Catalytic growth of carbon microtubules with fullerene structure",Applied Physics

- Letters, vol. 62, pp. 202-204, 1993
- [35] M. Yudasaka, R. Kikuchi, T. Matsui, Y. Ohki and S. Yoshimura, *Appl. Phys. Lett.* 67, 2477 (1995)
- [36] H. Dai, A. G. Rinzler, P. Nikolaev, A. Thess, D. T. Colbert and R. E. Smalley, *Chem. Phys. Lett.* 260, 471 (1996)
- [37] M. Terrones, N. Grobert, J. Olivares, J. P. Zhang, H. Terrones, K. Kordatos, W. K. Hsu, J. P. Hare, P. D. Townsend, K. Prassides, A. K. Cheetham, H. W. Kroto and D. R. M. Walton, "Controlled production of aligned-nanotube bundles", *Nature*, vol. 388, pp. 52-55, 1997
- [38] T.M. Minea,T. S. Point, A. Gohier, A. Granier, C. Godon, F. Alvarez, "Single chamber PVD/PECVD process for in situ control of the catalyst activity on carbon nanotubes growth", *Surface & Coatings Technology* 200 (2005) 1101–1105
- [39] Teri Wang Odom*, Jin-Lin Huang*, Philip Kim & Charles M. Lieber*, "Atomic structure and electronic properties of single-walled carbon nanotubes", *Nature*, vol.391 pp.62-64, 1998
- [40] N. Hamada, S. Sawada and A. Oshiyama, "New one-dimensional conductors: graphitic microtubules", *Physical Review Letters*, vol. 68, pp. 1579-1581, 1992
- [41] J. W. Mintmire. et al., *Physical Review Letters* , vol.68, (1992), 631-634.
- [42] Jeroen W. G. Wildoer. et al., *Nature* (1998) vol.391
- [43] Dresselhaus MS, Dresselhaus G, Eklund PC. *Science of fullerenes & Carbon Nanotubes*. San Diego: Academic Press, 1996
- [44] C. H. Kiang, M. Endo, P. M. Ajayan, G. Dresselhaus and M. S. Dresselhaus, "Size effects in carbon nanotubes", *Physical Review Letters*, vol. 81, pp. 1869-1872, 1998
- [45] A.A. Lucas¹*, V. Bruyninckx¹, Ph. Lambin et al. *Scanning Microscopy* Vol. 12, No.3, 1998, pp. 415-436
- [46] R. Saito, M. Fujita, G. Dresselhaus and M. S. Dresselhaus, "Electronic structure of chiral graphene tubules", *Applied Physics Letters*, vol. 60, pp. 2204-2206, 1992
- [47] S. Frank, P. Poncharal, Z. L. Wang and W. A. de Heer, "Carbon nanotube quantum resistors", *Science*, vol. 280, pp. 1744-1746, 1998
- [48] L. Langer, V. Bayot, E. Grivei, J. P. Issi, J. P. Heremans, C. H. Olk, L. Stockman, C. Van Haesendonck and Y. Bruynseraeede, "Quantum transport in a multiwalled carbon nanotube", *Physical Review Letters*, vol. 76, pp. 479-482, 1996
- [49] R. S. Lee, H. J. Kim, J. E. Fischer, A. Thess and R. E. Smalley,"Conductivity enhancement in single-walled carbon nanotube bundles doped with K and Br", *Nature*, vol. 388, pp. 255-257, 1997
- [50] R. J. Baierle, S. B. Fagan, R. Mota, A. J. R. da Silva and A. Fazzio,"Electronic and structural properties of silicon-doped carbon nanotubes", *Physical Review B*, vol. 64, pp. 085413-1-085413-4, 2001
- [51] K. Liu, Ph. Avouris, R. Martel and W. K. Hsu , "Electrical transport in doped multiwalled carbon nanotubes", *Physical Review B*, vol. 63, pp 1614041-1614044,2001
- [52] A. P. Ramirez, R. C. Haddon, O. Zhou, R. M. Fleming, J. Zhang, S.M.McClure and R. E. Smalley, "Magnetic susceptibility of molecular carbon nanotubes and fullerite", *Science*, vol. 265, pp. 84-86, 1994
- [53] Y. Aharonov and D. Bohm, "Significance of electromagnetic potentials in the quantum theory", *Physical Review Letters*, vol. 115, pp. 485-491, 1959

- [54] R. G.Chambers, "Shift of an electron interference pattern by enclosed Magnetic Flux", Physical Review Letters, vol. 5, pp. 3-5, 1960
- [55] N. Osakabe, T. Matsuda, T. Kawasaki, J. Endo, A. Tonomura, S. Yano and H. Yamada, "Experimental confirmation of Aharonov-Bohm effect using a toroidal magnetic field confined by a superconductor", Physical Review A, vol. 34, pp. 815-822, 1986
- [56] Z. K. Tang, L. Zhang, N. Wang , X. X. Zhang, G. H. Wen, G. D. Li, J. N. Wang, C. T. Chan and P. Sheng, "Superconductivity in 4 angstrom single-walled carbon nanotubes", Science, vol. 292, pp. 2462-2465, 2001
- [57] I. Takesue, J. Haruyama, N. Kobayashi, S. Chiashi, S. Maruyama, T. Sugai and H. Shinohara, "Superconductivity in entirely end-bonded multiwalled carbon nanotubes", Physical Review Letters, vol. 96, pp.0570011-0570014, 2006
- [58] Y. Tu, Z. P. Huang, Applied Physics Letters 80, 4018-4020, 2002
- [59] Vincent Jourdain, Henning Kanzow, et al.,Chemical Physics Letters 364,27-33, 2002
- [60] S. Sanvito, Y. K. Kwon, D. Tomànek and C. J. Lambert, Phys. Rev. Lett. 84, 1974, 2000
- [61] Ishan Barin, Thermochemical Data of Pure Substances 3rd
- [62] J. Hone, M. Whitney and A. Zettler, Synthetic Metals, 103, 2498, 1999
- [63] S. Berber, Y. K. Kwon and D. Tomanek, Phys. Rev. Lett. 84, 4613, 2000
- [64] R. Saito, M. Fujita, G. Dresselhaus and M. S. Dresselhaus, Appl. Phys. Lett. 60,2204, 1992
- [65] R. Saito, G. Dresselhaus and M. S. Dresselhaus, J. Appl. Phys. 73, 494, 1993
- [66] T. W. Odom, J. L. Huang, P. Kim and C. M. Lieber, Nature 391, 62, 1998
- [67] Phiscal Properties of Carbon Nanotubes, edited by R. Saito, G. Dresselhaus, M. S. Dresselhaus (Imperial College Press, 1998), Chapter 3
- [68] C. Dekker, Carbon Nanotubes as Molecular Quantum Wires, Physics Today, May, 22, 1999
- [69] Ebbesen TW ed. *Carbon Nanotubes, preparation and properties*. CRC Press 1997
- [70] Yakobson BI, Smalley RE. Am Sci. 1997, 85: 324
- [71] <http://www.wired.com/wired/archive/11.04/nanotech.html>
- [72] <http://www.aip.org/enews/physnews/1996/split/pnu279-2.htm>
- [73] http://www.wag.caltech.edu/foresight/foresight_2.html
- [74] E. Dujardin, T. W. Ebbesen, A. Krishnan, P. N. Yianilos and M. M. J. Treacy, Phys. Rev. B58 (20), 14013, 1998
- [75] E. Wong, P. Sheehan and C. Lieber, Science 277, 1971, 1997
- [76] http://www.fam.cie.uva.es/~arubio/psi_k/node5.html
- [77] Terrones M., Hsu W. K., Kroto H.W., et al., 1998 , “ Topis IN Current Chemistry”, Vol. 199, pp. 1.
- [78] Hone J., Whitney M., Piskoti C., et al., 1999, “ Thermal conductivity of single-walled carbon nanotubes” Phys. Rev. B, Vol. 59, NO.4, pp. 2514-2516.
- [79] Yi W., Gu L., Zhang D. L., et al., 1999, “Linear specific heat of carbon nanotubes”, Phys. Rev. B ,Vol. 59,NO.14, pp.9015-9018.
- [80] Osman M. A., Srivastava D., 2001, “Temperature dependence of the thermal conductivity of single-wall carbon nanotubes”, Nanotechnology, Vol. 21, pp.21-24.
- [81] 呂助增 著，固態電子學，明文書局，1996，台北市。
- [82] R. Gomer, Field Emissio and Field Ionization, Library of Congress Cataloging-in-Publication Data, 1993, New York

- [83] 陳聖元，“碳基材料成長及其場發射特性之研究”，清華大學電子工程研究所，博士論文，2003。
- [84] R.H. Fowler and L.W. Nordheim, Proc. Roy. Soc. (London), A119, (1928)173
- [85] J.T. Lue, Solid-State Electron, 23, (1980)263
- [86] A. G. Rinzer, J. H. Hafner, P. Nikolaev, L. Lou, S. G. Kim, D. Tomanek, P. Nordlander, D. T. Colbert and R. E. Smalley, Science 269, 1550, 1995
- [87] D.K. Ferry, “*Semiconductor*”, Macmillan Publishing Company, 1991
- [88] 侯自遠，“Buckypaper的製備與電磁參數特性之研究”，東海大學電機工程研究所，碩士論文,2010。
- [89] S. J. Tans, M. H. Devoret, H. Dai, A. Thess, R. E. Smalley, L. J. Geerligs and C. Dekker, "Individual single-wall carbon nanotubes as quantum wires", Nature, vol. 386, pp. 474-477, 1997
- [90] 苗新元，“奈米碳管成長機制及其作為微放電拋光電極應用之研究”，清華大學工程與系統科學，博士論文，2004。
- [91] A. Bachtold, P. Hadley, T. Nakanishi and C. Dekker, "Logic circuits with carbon nanotube transistors", Science, vol. 294, pp. 1317-1320, 2001
- [92] M. R. Pederson and J. Q. Broughton," Nanocapillarity in fullerene tubules", Physical Review Letters, vol.69, pp. 2689-2692
- [93] S. J. V. Frankland, D. W. Brenner, Chem. Phys." Hydrogen Raman shifts in carbon nanotubes from molecular dynamics simulation", Lett. 334, (2001) 18
- [94] F. Lamari Darkrima 、P. Malbrunota, G.P. Tartaglia, "Review of hydrogen storage by adsorption in carbon nanotubes", International Journal of Hydrogen Energy 27 (2002) 193–202
- [95] A. C. Dillon, K. M. Jones, T. A. Bekkedahl, C. H. Kiang, D. S. Bethune and M. J. Heben," Storage of hydrogen in single-walled carbon nanotubes", Nature, vol. 386, pp.377-379, 1997
- [96] Nützenadel, C., et al., *Electrochemical Storage of Hydrogen in Carbon Single Wall Nanotubes*, in *Science and Application of Nanotubes*. 2002. p. 205-213.
- [97] Li, X., et al.,2003,"Measuring hydrogen storage capacity of carbon nanotubes by tangent-mass method",International Journal of Hydrogen Energy,28,1251-1253
- [98] Pan, W., et al.,2005,"Measuring hydrogen storage capacity of carbon nanotubes by high-pressure microbalance",International Journal of Hydrogen Energy, 30,719-722
- [99] Chen, Y., et al.,2001,"Hydrogen storage in aligned carbon nanotubes",Applied Physics Letters,78,2128-2130
- [100] 陳冠榮，“改質碳材料應用於儲氫技術”，高雄應用科技大學機械與精密研究所，碩士論文，2009。
- [101] T. W. Tombler, C. Zhou, L. Alexseyev, J. Kong, H. Dai, L. Liu, C. S. Jayanthi, M. Tang and S. Y. Wu, "Reversible electromechanical characteristics of carbon nanotubes under local-probe manipulation",Nature, vol. 405, pp. 769-772, 2000
- [102] P. Kim and C. M. Lieber, "Nanotube nanotweezers", Science, vol. 286, pp. 2148-2150, 1999
- [103] J. Kong, N. R. Franklin, C. Zhou, M. G. Chapline, S. Peng, K. Cho and H. Dai, "Nanotube molecular wires as chemical sensors", Science, vol. 287, pp. 622-625, 2000
- [104] J. Liu, A. G. Rinzler, H. Dai, J. H. Hafner, R. K. Bradley, P. J. Boul, . Lu, T. Iverson, K. Shelimov, C. B. Huffman, F. R. Macias, Y. S. Shon, T. R. Lee, D. T. Colbert and R. E. Smalley, "Fullerene pipes", Science, vol. 280, pp.

1253-1256, 1998.

- [105] M. Endo, H.Muramatsu, T.Hayashi,Y. A.Kim, M. Terrones†, M. S. Dresselhaus, “Buckypaper from coaxial nanotubes”, Nature, vol. 433 2005
- [106] Shankar K. R., 2003, “preparation and characterization of magnetically alligned carbon nanotubes buckypaper and composite”, A Thesis submitted to the Department of Industrial Engineering in partial fulfillment of the requirements for the degree of Master of Science.
- [107] Yeh C. S.,2004,“Characterization of nanotube buckypaper manufacturing process”, A Thesis submitted to the Department of Industrial Engineering in partial fulfillment of the requirements for the degree of Master of Science.
- [108] Muramatsu H., Hayashi T., Kim Y.A.,et al., 2005, “Pore structure and oxidation stability of double-walled carbon nanotube-derived bucky paper”, Chemical Physics Letters vol.414,pp.444–448
- [109] Ji Y., Lin Y. J., Josh S.C., 2006, “Buckypaper’s Fabrication and Application to Passive Vibration Control”, Wong, Member, IEEE/ASME , pp.725-729.
- [110] D. A. Walters, M. J. Casavant, X. C. Qin, C. B. Huffman, P. J. Boul, L. M. Ericson, E. H. Haroz, M. J. O’Connell, K. Smith, D. T. Colbert and R. E. Smalley, "In-plane-aligned membranes of carbon nanotubes", Chemical Physics Letters, vol. 338, pp. 14-20, 2001
- [111] Cherrng-Shii Yeh, 2007, “A study of nanostructure and properties of mixed nanotube buckypaper materials: fabrication, process modeling, characterization, and property modeling”, A Thesis submitted to the Department of Industrial and Manufacturing Engineering in partial fulfillment of the requirements for the degree of Doctor of Philosophy.
- [112] C. Y. Lin, Z. Liang, "Investigation and characterization of SWNT Buckypaper manufacturing process", A thesis submitted to the department of industrial engineering in partial fulfillment of master of science, 2005
- [113] 徐少軒，“以渦電流法驗證渦旋對正巴克紙製作之研究”，東海大學電機工程研究所，碩士論文，2010。
- [114] Urszula D.W., Viera S. k. , Graupner R.,et al., 2005, “effect of SOCl_2 treatment on electrical and mechanical properties of single wall carbon nanotubes networks” , J. Chem. Soc. ,vol.127, No.14, pp.5125-5131.
- [115] Philip G.W. , Geoffrey M. S. , Gordon G. W., 2005, “Mechanical properties of carbon nanotube paper in ionic liquid and aqueous electrolytes”,Carbon ,vol.43, pp.1891-1896.
- [116] Yutaka M., Makoto K., Masahiro H., et al., 2006, “Dispersion and Separation of Small-Diameter Single-Walled Carbon Nanotubes”, J. am. Chem. soc. Vol 9 ,No. 37, pp.12239-12242.
- [117] Xue Y., 2007,”Experimental study of electrical conductivity of carbon nanotube, nanofiber buckypapers and their composites” , A Thesis submitted to the Department of Industrial Engineering in partial fulfillment of the requirements for the degree of Master of Science.
- [118] Wang D., Song P., Liu C., et al., 2008, “Highly oriented carbon nanotube papers made of aligned carbon nanotubes”, Nanotechnology Vol. 19 pp. 1-6.
- [119] Wenxiang Wang,, Kunlin Wang, Ruitao Lv, Jinquan Wei, Xianfeng Zhang,Feiyu Kang, Jianguo Chang, Qinke Shu, Yuquan Wang, Dehai Wu, “Synthesis of Fe-filled thin-walled carbon nanotubes with high filling ratio by using dichlorobenzene as precursor”, Letters to the Editor / Carbon 45 (2007) 1127–1129
- [120] Ruitao Lv, Shinji Tsuge, Xuchun Gui, Kazuyuki Takai, Feiyu Kang, Toshiaki

- Enoki , Jinquan Wei, Jialin Gu, Kunlin Wang, Dehai Wu, 2009 “In situ synthesis and magnetic anisotropy of ferromagnetic buckypaper”, Carbon, vol47, pp.1141-1145
- [121] Vohr U., Kolaric I., Haque M.H.,et al., 2004, “Carbon nanotube sheets for the use as artificial muscles” ,Carbon, vol.42, pp.1159-1164.
- [122] Tsal S.Y.,2005, “Characterization and analysis of SWCNT buckypaper and composite actuators”, A Thesis submitted to the Department of Industrial Engineering in partial fulfillment of the requirements for the degree of Master of Science.
- [123] Y. W. Chen, H. Y. Miao, M. Zhang, R. Liang, C. Zhang and B. Wang, "Analysis of a laser post-process on a Buckypaper field emitter for high and uniform electron emission", Nanotechnology, vol. 20, pp. 325302-325309, 2009
- [124] W. Knapp and D. Schleussner, "Carbon Buckypaper field emission investigations", Vacuum, vol. 69, pp. 333-338, 2002
- [125] 奈米科技網 <http://nanotechweb.org/cws/article/tech/20149>
- [126] 物理世界網 <http://physicsworld.com/cws/article/news/31812>
- [127] Ku C.L., 2007, “Nanotube buckypaper electrodes for pem fuel cell applications”, A Thesis submitted to the Department of Industrial Engineering in partial fulfillment of the requirements for the degree of Master of Science
- [128] R. Smajda, k. Kukovecz, Z. Konya and I. Kiricsi, "Structure and gas permeability of multi-wall carbon nanotube Buckypapers", Carbon, vol. 45, pp. 1176-1184, 2007
- [129] Capdevila S., Pérez J., Jofre M., et al.,2007, “Microwave Characterization of a CNT Bucky Paper Transmission line”, San Sebastian-Spain.
- [130] Zhang M., Fang S., Zakhidov A. A., et al., 2005, “Strong, transparent, multifunctional, carbon nanotube sheets”, Science, Vol. 309, pp. 1215-1219.
- [131] Aguirre C. M., Auvray S., Pigeon S.,et al.,2006, “Carbon nanotube sheets as electrodes in organic light-emitting diodes”, App. Phys Lett , Vol. 88, pp. 183104.
- [132] 劉順華,劉軍民,董星龍,”電磁波屏蔽及西坡材料”,化學工業出版社,2007
- [133] 王志方,”儲能元件之功率及儲存特性”,台灣工業銀行,2007年12月
- [134]. J. H. Park, and O Ok Park, “Hybrid electrochemical capacitors based on polyaniline and activated carbon electrodes”, J. Power Sources, 111 (2002) 185.
- [135]. D. Qu, H. Shi, “Studies of activated carbons used in double-layer capacitors”, J.Power Sources, 74 (1998) 99.
- [136] M. Nakamura, M. Nakanishi, and K. Yamamoto, “Influence of physical properties of activated carbons on characteristics of electric double-layercapacitors”, J. Power Sources, 60 (1996) 255.
- [137] R. Kötz and M. Carlen, “Principles and Applications of Electrochemical Capacitors”, Electrochim. Acta, 45 (2000) 2483-2498.
- [138] I. Tanahashi, A. Yoshida, and A. Nishino, “Preparation and Characterization of Activated Carbon Tablets for Electric Double-layer Capacitors “, Bull. Chem. Soc. Jpn., 63 (1990) 2755-2758.
- [139] Yong Zhang, Hui Feng, Xingbing Wu, Lizhen Wang, Aiqin Zhang, Tongchi Xia,Huichao Dong, Xiaofeng Li, Linsen Zhang, “Progress of electrochemical capacitor electrode materials: A review”, International Jurnal of Hydrogen Energy, 34 (2009) 4889-4899.
- [140] M. Carlen and R. Kotz, “Principles and applications of electrochemical capacitors” , Electrochimica Acta, vol.45, p.2483, (2000).

Chapter 3

- [141] 沈自,劉偉行,毛偉龍,水瑞鑄,洪佐文,王詠麟,林敬洲,邱博義, 鄭仰宏,“微波頻率下五種混合定律應用於複合材料介電常數之研究,” 2008電子工程技術研討會
- [142] 蔡立瑜,“聚醯亞胺與鈦酸鋇奈米複合薄膜之製備及其介電特性之研究”,中原大學化學系,碩士論文,2003
- [143] D.R. Crow, “Principles and Applications of Electrochemistry ,4nd Ed”. Chapman and Hall Ltd. London (1994)
- [144] 田福助,“電化學-理論與應用”,高立圖書有限公司,2004
- [145] 胡啟章,“電化學的原理與方法”,五南圖書,2002
- [146] A.J. Bard, and L.R. Faulkner, “Electrochemical Principles, Methods, and Applications”, Oxford University, Britain ,1996
- [147] 古明祥,“金屬添加物對碳系超級電容器特性之影響”,大同大學材料工程研究所,碩士論文,2007
- [148] 王凱平,“奈米孔洞碳電極之孔洞結構與電化學電容之相關性研究”,成功大學化工系,碩士論文2005
- [149] Bard, A. J.; Faulkner, L. R., *Electrochemical Methods Fundamental and Application*, John Wiley & Sons, Canada, 1980.
- [150] 劉黎明,林志東,楊培志,“V₂O₅ 複合電極材料的製備與表征”,電子元件與材料, Vol.25 No.9 Sep (2006) P28-30
- [151] VersaSTAT 3 Hardware Manual
- [152] KTH university 線上教材<http://tau.nanophys.kth.se/cmp/hall/node5.html>
- [153] 謝煜弘, 電子材料,新文京開發出版有限公司, 2005

Chapter 4

- [154] J. G. Park, S. Li, R. Liang, C. Zhang and B. Wang, "Structural changes and Raman analysis of single-walled carbon nanotube Buckypaper after high current density induced burning", Carbon, vol. 46, pp.1175-1183,2008
- [155] Kittel Charles, 2004, “Introduction To Solid State Physics, 8th Edition”, John Wiley and Sons
- [156] R. L. D. Whitby, T. Fukuda, T. Maekawa, S. L. James and S. V. Mikhalovsky, "Geometric control and tuneable pore size distribution of Buckypaper and Buckydiscs", Carbon, vol. 46, pp. 949-956, 2008
- [157] Philip G. Collins and Phaedon Avouris, “Nanotubes for Electronics”, Scientific American December pp.62-69, 2000