

陸、參考文獻

- 邱于珊 (2008) 熱加工對省產蔬菜中類胡蘿蔔素與抗氧化活性之影響探討。東海大學食品科學研究所食品科技組碩士論文。
- 辛仲文、林維和、姜金龍、龔財立、彭武男(2000) 葉菜類甘藷”桃園二號”之育成。桃園區農業改良場 第40號。
- 林妙娟、鄭明欽。2001。金針多樣性利用介紹。花蓮區農業專訊 35:2-4。
- 林學詩、蔡月夏。2001。金針癒傷組織培養繁殖種苗技術。花蓮區農業專訊 35:12-15。
- 拱玉郎 (1997) 天然抗氧化劑發展近況。食品工業, 29(3):29-37。
- 董志宏, 戴國隆, 朱燕華 (2005) 蔬菜葉黃素萃製技術評估。中華民國食品科學第35屆年會
- 鄒麓生(1979) 甘薯葉 - 一個高營養價值的深綠色蔬菜。台灣營養協會雜誌。四卷一期:13-13
- 蔡文仁。2001。金針產業在臺東。農業世界 211:52-56。
- 劉瑋婷、劉啟祥。2001。金針鮮蕾產銷與展望。花蓮區農業專訊 35:5-8。
- Achmad, S. Hiroko W., Naofumi M. (1999) Stability of lutein and its myristate esters. *Biosci. Biotechnol. Biochem* 63(10): 1784-1786.
- Aleman, T. S., Duncan, J. L., Bieber, M. L., de Castro, E., Marks, D., Gardner, L. M., Steinberg, J. D., Cideciyan, A. V., Maguire, M. G., Jacobson, S. G. (2001) Macular pigment and lutein supplementation in retinitis pigment and usher syndrome. *Invest. Ophthalmol. Vis Sci.* 42: 1873-1881.
- Alisa, P., Helen, R., Elizabeth, J. J. (2009) Xanthophyll (lutein, zeaxanthin) content in fruits, vegetables and corn and egg products. *Journal of Food Composition and Analysis* 22: 9-15.
- Alquezar, B., Rodrigo, M. J., Zacarias, L. (2008) Regulation of carotenoid biosynthesis during fruit maturation in the red-fleshed orange mutant Cara Cara. *Phytochemistry* 69: 1997-2007.
- Anguelova, T. and Warthsen, J. (2000) Degradation of lycopene, α -carotene, and β -carotene during lipid peroxidation. *J. Food Sci.* 65: 71-75.
- Avalos, J., Cerda-Olmedo, E. (2004) Fungal carotenoid production, second ed.. In: Arora, D.K. (Ed.), *Handbook of Fungal Biotechnology*, vol. 1 Marcel Dekker Inc., New York, pp. 367-378.
- Baloch, A. K., Buckle, K. A. and Edwards, R. A. (1977) Separation of carrot carotenoids on hyflo super-cel magnesium oxide-calcium sulfate thin layers. *Journal of Chromatography* 139: 149-155.

- Bando, N., Hayashi, H., Wakamatsu, S., Inakuma, T., Miyoshi, M., Nagao, A., Yamauchi, R. and Terao, J. (2004) Participation of singlet oxygen in ultraviolet-a-induced lipid peroxidation in mouse skin and its inhibition by dietary β -carotene: an ex vivo study. *Free Radical Biology and Medicine* 37: 1854-1863.
- Bauernfeind, J. C. (1981) Carotenoids as colorants and vitamin A precursors. *J. Food Sci. Technol.* pp. 883.
- Ben-Amotz, A. and Levy, Y. (1996) Bioavailability of a natural isomer mixture compared with synthetic all-trans- β -carotene in human serum. *Am. J. Clin. Nutr.* 63: 729-734.
- Bendich, A. (1989). Carotenoids and the immune response. *J. Nutr.*, 119:112-115.
- Berg, H. V. D., Faulks, R., Grando, H. F., Hirschberg, J., Olmedilla, B., Sandman, G., Southon, S., and Stahl, W. (2000) Review the potential for the improvement of carotenoid levels in foods and the likely systemic effects. *J. Sci. Food Agric.* 80: 880-912.
- Beuernfeind, J. C. (1972) Carotenoid vitamin A precursors and analogs in foods and feeds. *J Agric Food Chem.* 43: 2876-2878.
- Blot, W. J., Li, J. Y., Taylor, P. R., Guo, W., Dawsey, S., Wang, G. Q., Yang, C. S., Zheng, S. F., Gail, M., Li, G. Y. (1993) Nutrition intervention trials in Linxian, China: supplementation with specific vitamin/mineral combinations, cancer incidence, and disease-specific mortality in the general population. *J. Natl. Cancer Inst.* 85: 1483-1492.
- Boileau, T. W. M., Moore, A. C., Erdman, J. W. (1999) Carotenoids and vitamin A. In: *Antioxidant Status, Diet, and Health* (Hennekens CH, ed.) pp. 133-158.
- Bolton-Smith, C., Woodward, M. and Tunstall-Pedoe, H. (1992) The Scottish heart health study. Dietary intake by food frequency questionnaire and odds ratios for coronary heart disease risk I. *Macronutrients. Eur. J. Clin. Nutr.* 46: 75-84.
- Bone, R.A., Landrum, J. T., Cains, A. (1992) Optical density spectra of the macular pigment in vivo and in vitro. *Vision Res.* 32: 105–110.
- Bone, R. A., Landrum, J. T., Fernandez, L., Tarsis, S. L. (1988) Analysis of the macular pigment by HPLC: retinal distribution and age study. *Investig. Ophthalmol. Vis. Sci.* 29: 843–849.
- Breithaupt, D. E. and Bamedi, A. (2001). Carotenoid esters in vegetables and fruits: A screening with emphasis on β -cryptoxanthin esters. *Journal of Agricultural Food Chemistry* 49: 2064–2070.
- Breithaupt, D. E., Weller, P., Wolters, M., Hahn, A. (2003) Plasma response to a single dose of dietary b-cryptoxanthin esters from papaya (*Caieca papaya* L.) or nonesterified b-cryptoxanthin in adult human subjects: a comparative study. *Br. J. Nutr.* 90: 795–801.

- Breithaupt, D. E., Weller, P., Wolters, M., Hahn, A. (2004) Comparison of plasma responses in human subjects after the ingestion of 3R, 3R9-zeaxanthin dipalmitate from wolfberry (*Lycium barbarum*) and non-esterified 3R, 3R9-zeaxanthin using chiral high-performance liquid chromatography. *Br. J. Nutr.* 91: 707–13.
- Breithaupt, D. E., Wirt, U. and Bamedi, A. (2002) Differentiation between Lutein Monoester Regioisomers and Detection of Diesters from Marigold Flowers (*Tagetes erecta* L) and Several Fruits by Liquid Chromatography – Mass spectrometry. *J. Agric. Food Chem.* 50: 66-70.
- Brown, E. D., Micozzi, M. S., Craft, N. E., Bieri, J. G., Beecher, G., Edwards, B. K., Rose, A., Taylor, P. R., Smith, J. C. (1989) Plasma carotenoids in normal men after a single ingestion of vegetables or purified beta-carotene. *Am. J. Clin. Nutr.* 49: 1258-1265.
- Buckle, K. A. and Rahman, F. M. M. (1979) Separation of chlorophyll and carotenoid pigments of capsicum cultivars. *Journal of Chromatography* 171: 385-391.
- Burns, J, Gardner, P. T., O’Neil, J, et al. (2000) Relationship among antioxidant activity, vasodilation capacity, and phenolic content of red wines. *J. Agric. Food Chem.* 48: 220-30.
- Burton, G. W. and Ingold, K. U. (1984) β -carotene: an unusual type of liquid antioxidant. *Science* 224: 569-573.
- Bushway, R. J. (1986) Determination of α - and β -carotene in some raw fruits and vegetables by high-performance liquid chromatography. *J. Agric. Food Chem.* 34: 409-412.
- Castelluccio, C., Paganga, G., Melikian, N., Bolwell, G., Pridham, J., Sampson, J. and Rice-Evans, C. A. (1995) Antioxidant potential of intermediates in phenylpropanoid metabolism in higher plants. *FEBS Lett.* 368: 188-192.
- Castenmiller, J. J. M., West, C. E., Linssen, J. P. H., Karin, H., Hof, K. H., Voragen, A. G. J. (1999) The food matrix of spinach is a limiting factor in determining the bioavailability of β -carotene and to a lesser extent of lutein in humans. *J. Nutr.* 129: 349-355.
- Chandler, L. A., Schwartz, S. J. (1988) Isomerization and losses of trans- β -carotene in sweet potatoes as affected by processing treatment. *J. Agric. Food Chem.* 36: 129-133.
- Chen, B. H., Chen (1992) Studies on the stability of carotenoids in garland chrysanthemum as affected by microwave and conventional heating. *J. Food Proc.* 55: 296-300.
- Chen, B. H., Chen, T. M. and Chien, J. T. (1994) Kinetic model for studying isomerization of α - and β -carotene during heating and illumination. *J. Agric. Food Chem.* 42: 2391-2397.
- Chen, B. H., Han, L. H. and Yang, S. H. (1991) Characterization of major

- carotenoids in water convolvulus (*Ipomoea aquatica*) by open-column, thin-layer and high-performance liquid chromatography. *Journal of Chromatography* 543: 147-15
- Chen, C. M., Li, S. C., Lin, Y. L., Hsu, C. Y., Shieh, M. J., and Liu, J. F. (2005) Consumption of purple sweet potato leaves modulates human immune response: T lymphocyte functions, lytic activity of natural killer cell and antibody production. *World Journal of Gastroenterology* 11(37): 5777–5781.
- Chen, B. H. and Lin, C. H. (2003) Determination of carotenoids in tomato juice by liquid chromatography. *J. Chromatogr. A* 1012: 103-109.
- Chen, H. E., Peng, H. Y. and Chen, B. H. (1996) Stability of carotenoids and vitamin A during storage of carrot juice. *Food Chem.* 7: 497-503.
- Chitchumroonchokchai, C., Schwartz, S. J. and Failla, M. L. (2004) Assessment of Lutein Bioavailability from Meals and a Supplement Using Simulated Digestion and Caco-2 Human Intestinal Cells. *J. Nutr.* 134: 2280–2286.
- Chu, Y. H., Chang, C. L., Hsu, H. F. (2000) Flavonoid content of several vegetables and their antioxidant activity. *J. Sci. Food Agr.* 80: 561-566.
- Cichewicz, R. H., Zhang, Y., Seeram, N. P., and Nair, M. G. (2004) Inhibition of human tumor cell proliferation by novel anthraquinones from daylilies. *Life Sciences* 14: 1791–1799.
- Cole, E. R., Kapur, N. S. (1957) The stability of lycopene. II. Oxidation during heating of tomato pulp. *J. Sci. Food Agric.* 8: 366-368.
- Congdon, N. G. and West, K. P. (1999) Nutrition and the eye. *Curr. Opin. Ophthalmol* 10: 464-473.
- Craft, N. E. and Soare, J. H. (1992) Relative solubility, stability, and absorptivity of lutein and β -carotene in organic solvents. *J. Agri. Food Chem.* 40: 431-434.
- Dachtler, M., Glaser, T., Kohler, K. and Albert, K. (2001) Combined HPLC-MS and HPLC-NMR on-line coupling for the separation and determination of lutein and zeaxanthin stereoisomers in spinach and in retina. *Anal. Chem.* 73: 667-674.
- Dagnelie, G., Zorge, I. S., McDonald, T. M. (2000) Lutein improves visual function in some patients with retinal degeneration: a pilot study via the Internet. *Optometry* 71: 147–164.
- Davies, N. P., Morland, A. B. (2004) Macular pigments: their characteristics and putative role. *Prog. Retin. Eye Res.* 23: 533–559.
- de Pee S, West C. E., Muhilal, K. D., Hautvast J. G. A. J. (1995) Lack of improvement in vitamin A status with increased consumption of dark-green leafy vegetables. *Lancet* 346: 75-81.
- Deming, D. M., Teixeira, S. R. and Erdman, J. W. (2002) All-trans β -carotene appears to be more bioavailable than 9-cis or 13-cis

- β -carotene in gerbils given single oral doses of each isomer. *J. Nutr.* 132: 2700-2708.
- Demmig-Adams B., Adams W. W.III., Logan B. A., Verhoeven A. S. (1995) Xanthophyll cycle-dependent energy dissipation and flexible photosystem II efficiency in plants acclimated to light stress. *Australian Journal of Plant Physiology* 22: 249-260.
- Dietz J. M., Sri Kantha, S., Erdman, J. W. (1988) Reversed phase HPLC analysis of alpha and beta-carotene from selected raw and cooked vegetables. *Plant Foods Hum Nutr* 38: 333-341.
- Dinis, T. C. P., Madeira, V. M. C. and Almeida, L. M. (1994) Action of phenolic derivative (acetaminophen, salicylate, and 5-aminosalicylate) as inhibitors of membrane lipid peroxidation and as peroxy radical scavengers. *Arch. Biochem. Biophys.* 315: 161-169.
- Diplock, A. T., Charuleux, J. L., Crozier-Willi, G., Kok, F. J., Rice-Evans, C., Roberfroid, M., Stah, W. and Viiia-Ribes, J. (1998) Functional food science and defense against reactive oxidative species. *British Journal of Nutrition* 80: 77-112.
- Duncan, I. L., Aleman, T. S., Gardner, L. M., De Castro, E., Marks, D., Emmons, I. M., Bieber, M. L., Steinberg, I. D., Bennett, I., Stone, E. M., MacDonald, I. M., Cideciyan, A. V., Maguire, M. G., Jacobson, S. G. (2002) Macular pigment and lutein supplementation in choroideremia. *Exp. Eye Res.* 74: 371-381.
- Dzlezak, J. D. (1986) Antioxidants: the ultimate answer to oxidation. *Food Technol.* 40(9): 94-102.
- Fraser P. D., Bramley, P. M. (2004) The biosynthesis and nutritional uses of carotenoids. *Prog Lipid Res* 43: 228-265.
- El-Agamey, A., Lowe, G. M., McGarvey, D. J., Mortensen, A., Phillip, D. M., Truscott, G. Young A. J. (2004) Carotenoid radical chemistry and antioxidant/prooxidant properties, *Arch. Biochem. Biophys.* 430: 37-48.
- Godoy, H. T., Rodriguez-Amaya, D. B. (1989) Carotenoids composition of commercial mangoes from Brazil. *Lebensm-Wiss Technol* 22: 100-103.
- Goodwin, T. W. (1986) Metabolism, nutrition, and function of carotenoids. *Ann. Rev. Nutr.* 6:273-297.
- Halliwell, B. (1994) Free radicals and antioxidants: A personal view. *Nutrition Reviews*, 52(8): 253-265.
- Halliwell, B. and Gutteridge, J. M. C. (1989) Free radicals and toxicology. IN: B. Halliwell and J.M.C Gutteridge (Eds.), *Free radicals in Biology and Medicine*. Clarendon Press Oxford, pp. 484-487.
- Halliwell, B., Mutrcia, M. A., Chirico, S. And Aruoma, O. (1995) Free radicals and antioxidants in food and in vivo: what they do and how they work. *Critical Reviews in Food Science and Nutrition*, 35: 7-20.

- Hart, D. J. and Scott, K. J. (1995) Development and evaluation of an HPLC method for the analysis of carotenoids in foods, and the measurement of the carotenoids content of vegetables and fruits commonly consumed in the UK. *Food Chem.* 54: 101-111.
- Hennekens, C. H., Buring J. E., Manson J. E., Stampfer, M, Rosner, B, Cook, N. R., Belanger, C., LaMotte, F., Gaziano, J. M., Ridker, P. M., Willett, W., Peto, R. (1996) Lack of effect of long-term supplementation with beta carotene on the incidence of malignant neoplasms and cardiovascular disease. *J Med* 334: 1145-1149.
- Hollander, D., Ruble, P. E. (1978) β -Carotene intestinal absorption: bile, fatty acids, pH, and flow rate effects on transport. *Am J Physiol* 235: E686-E691.
- Hsieh, Y. P. C., Karel, M. (1983) Rapid extraction and determination of a- and b-carotene content of vegetables and fruits commonly consumed in the UK. *Food Chem* 54: 101-111.
- Huang, S. C., Hung, C. F., WU, W. B., Chen, B. H. (2008) Determination of chlorophylls and their derivatives in *Gynostemma pentaphyllum* Makino by liquid chromatography-mass spectrometry. *J. Pharmaceutical and Biomedical Analysis* 48: 105-112.
- Fang, Y. Z., Yang, S. and Wu, G. (2002) Free radicals, antioxidants, and nutrition. *Nutrition* 18: 872-879.
- Fennema, O. (1997) Loss of vitamins in fresh and frozen foods. *Food Technol.* 31(12): 32-38.
- Fiksdahl, A., Mortensen, J. T. and Liaen-Jensen, S. (1978) High pressure liquid chromatography of carotenoids. *Journal of Chromatography.* 157:111.
- Fisher, C. and Kocis, J. A. (1987) Separation of Paprika Pigments by HPLC. *J Food Sci.*,35: 55-57.
- Gabriel, N. M., Abdulkadir, A. E., Wilna, H. O. T. (2009) Nutrition value and antioxidant capacity of lunch meals consumed by elderly people of Sharpeville, South Africa. *Food Chem.* 115: 260-264.
- Gester, H., (1993) Anticarcinogenic effect of common carotenoids. *International Journal for Vitamin and Nutrition Research*, 63: 93–121.
- Giese, J. (1996) Antioxidants: Tool for preventing lipid oxidation. *Food Technology*, 11: 37-82.
- Goodwin, T. W. (1986) Metabolism, nutrition, and function of carotenoids. *Ann. Rev. Nutr.* 6: 273-297.
- Gutteridge, J. M. (1993) Anthracycline toxicity, iron and oxygen radicals, and chelation therapy. *J Lab. Clin. Med* 122: 228-229.
- Gutteridge, J. M. C. and Halliwell, B. (1994) Free radicals and antioxidants in ageing and disease: fact or fantasy. In: B. Halliwell and J.M.C. Gutteridge (Eds.), *Antioxidants in nutrition, health, and disease.* Oxford University press, Oxford New York Tokyo, pp. 111-135.

- Jayarajan, P., Reddy, V., Mohanram, M. (1980) Effect of dietary fat on absorption of β -carotene from green leafy vegetables in children. *Indian. J Med Res* 71: 53-56.
- Julkunen-Titto, R. (1985) Phenolic constituents in the leaves of Northern willows Methods for the analysis of certain phenolics. *J. Agric. Food Chem.* 33: 213-217.
- Kao, F. J., Tsou, M. J., Chiu, Y. S., Chang, S. H., Chiang, W. D. (2009) A comparison and extension of methods for carotenoids detection in green vegetables grown in Taiwan. *Taiwanese J. Agri. Food Sci.* (in printing).
- Kaur, C. and Kapoor, H. C. (2001) Antioxidants in fruits and vegetables – the millennium's health. *Int. J. Food Sci. Technol.* 36: 703-725.
- Kellogg, E. W. and Fridovich, I. (1975) Superoxide, hydrogen peroxide, and singlet oxygen in lipid peroxidation by a xanthin oxidation system. *Journal of Biological Chemistry* 59: 833-826.
- Khachik, F. and Beecher, G. R. (1988) Separation of carotenol fatty acid esters by high-performance liquid chromatography. *J. Chromatogr.* 449: 119-133.
- Khachik, F., Beecher, G. R., Whittaker, N. F. (1986) Separation, identification and quantification of the major carotenoids and chlorophyll constituents in extracts of several green vegetables by liquid chromatography. *J. Agric. Food Chem.* 34: 603-616.
- Khachik, F., Spangler, C. J., Smith, J. C. (1997) Identification, quantification, and relative concentrations of carotenoids and their metabolites in human milk and serum. *Anal. Chem.* 69: 1873–1881.
- Kochnar, S. P. and Rossel, J. B. (1990) Detection, estimation and evaluation of antioxidants in food systems. In; B. J. F. Huson (Eds), *Food antioxidant.* Elsevier Applied Science, London and New York, pp. 19-64.
- Krinsky, N. I. (1989) Carotenoids and cancer in animal model. *J. Nutr.* 119: 123-126.
- Kruger, C., Murphy, L., DeFreitas, M., Pfannkuch, Z., Heimbach, F. J. (2002) An innovative approach to the determination of safety for a dietary ingredient derived from a new source: case study using a crystalline lutein product. *Food Chem. Toxicol.* 40: 1535–1549.
- Kull, D. R. and Pfander, H. (1995) Isolation and identification of carotenoids from the petals of rape (*Brassica napus*) *J. Agric. Food Chem.* 43: 2854-2857.
- Labuza, T. P. (1971) Kinetics of lipid oxidation in foods. *CRC Critical Reviews in Food Science and Technology* 2: 355-405.
- Lakshminarayana, R., Raju, M., Krishnakantha, T. P., Baskaran, V. (2005) *J. Agric. Food Chem.* 53: 2838-2842.
- Lakshminarayana, R., Raju, M., Krishnakantha, T. P., Baskaran V. (2005)

- Determination of major carotenoids in a few Indian leafy vegetables by High Performance Liquid Chromatography. *J. Agric. Food Chem.* 53: 2838–2842.
- Landrum, J. T. and Bone, R. A. (2001) Lutein, zeaxanthin, and the macular pigment. *Archi. Biochemi. Biophys.* 385: 28-40.
- Landrum, J. T., Bone, R. A., Jos, H., Kilburn, M. D., Moore, L. L., Sprague, K. E. (1997) A 1 year study of the macular pigment: the effect of 140 days of a lutein supplement. *Exp. Eye Res.* 65: 57–62.
- Larsen, E., and Christensen L. P. (2005) Simple Saponification Method for the Quantitative Determination of Carotenoids in Green Vegetables. *J. Agric. Food Chem.* 53: 6598-6602.
- Larson, R. A. (1988) The antioxidants of higher plants. *Phytochem.* 27: 969-978.
- Lee, H. S., Castle, W. S. (2001) Seasonal changes of carotenoid pigments and color in Hamlin earlygold, and budd blood orange juices. *J. Agric. Food Chem.* 49(2): 877-882.
- Lee, S. H. and Min D. B. (1990) Effects, quenching mechanisms, and kinetics of carotenoids in chlorophyll-sensitized photooxidation of soybean oil. *J. Agric. Food Chem.* 38(8): 1630-1634.
- Lefsrud, M., Kopsell, D., Wenzel, S., Sheehan, J. (2007) Changes in kale (*Brassica oleracea* L. var. *acephala*) carotenoid and chlorophyll pigment concentrations during leaf ontogeny. *Scientia Horticulturae* 112: 136–141.
- Lessin, W. J., Catigani, G. L. and Schwartz, S. J. (1997). Quantification of cis–trans isomers of provitamin A carotenoids in fresh and processed fruits and vegetables. *Journal of Agricultural and Food Chemistry* 45: 3728–3732.
- Lin, C. H., Chen, B. H. (2005) Stability of carotenoids in tomato juice during storage. *Food Chem.* 90: 837-846.
- Liu, Y., Perera, C. O. and Suresh, V. (2007) Comparison of three chosen vegetables with others from South East Asia for their lutein and zeaxanthin content. *Food Chem.* 101: 1533-1539.
- Lu, C., Lu, Q., Zhang, J., Kuang, T. (2001) Characterization of photosynthetic pigment composition, photosystem II photochemistry and thermal energy dissipation during leaf senescence of wheat plants grown in the field. *J. Exp. Bot.* 52 (362): 1805–1810.
- Maorun, Fu., Zhiping, He., Yuying, Zhao., Jing, Yang., Linchun, Mao. (2009) Antioxidant properties and involved compounds of daylily flowers in relation to maturity. *Food Chemistry* 114: 1192–1197.
- Mares-Perlman, J. A., Millen, A. E., Ficek, T. L., Hankinson, S. E. (2002) The body of evidence to support a protective role for lutein and zeaxanthin in delaying chronic disease. *Overview, J. Nutr.* 132: 518S–524S.

- Marisiddaiah, R., Sadineni, V., Rangaswamy, L., Thirumalai, P. k., Vallikannan, B. (2006) Carotenoid composition and vitamin A activity of medicinally important green leafy vegetables. *Food Chem.* 101: 1621–1628.
- Marx, M., Stuparic, M., Schieber, A., and Carle, R. (2003) Effects of thermal processing on trans–cis-isomerization of β -carotene in carrot juices and carotene-containing preparations. *Food Chem.* 83: 609–617.
- McCord, J. M. (2000) The evolution of free radicals and oxidative stress. *Am. J. Med.* 108(8): 652-659.
- McLarty, J. W. (1992) An intervention trial in high-risk asbestos-exposed persons. In: Newell GR, Hongs WK, ed. *The biology and prevention of aerodigestive tract cancer.* New York: Plenum 14: 1-9.
- Mercadante, A. Z., Rodriguez-Amaya, D. B., Britton, G. (1997) HPLC and mass spectrometric analysis of carotenoids from mango. *J. Agric. Food Chem.* 45(1): 120-123.
- Miller, L. N., Rice-Evans, C. A., Davies, M. J., Gopinathan, V. and Milner, A. (1993) A novel method for measuring antioxidant status in premature neonates. *Clin. Sci.* 84: 407-412.
- M'inguez-Mosquera, M. I. and Hornero-Me'ndez, D. (1994) Changes in carotenoid esterification during the fruit ripening of *Capsicum annum* Cv. Bola. *Journal of Agricultural Food Chemistry* 42: 640–644.
- Moselise JJ, Berk Z. (1954) Some observations on the oxidation destruction of lycopene during the manufacture of tomato pure. *Bull. Res. Couns. Israel.* 4: 188-191.
- Moskovitz, J., Yim, M. B. and Chock, P. B. (2002) Free radicals and disease. *Arch. Biochem. Biophys.* 397(2): 354-359.
- Mosman, T. (1983) Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J. Immunol. Methods* 65: 55-63.
- Olmedilla, B., Granado, F., Blanco, I., Vaquero, M. and Cajigal, C. (2001) Lutein in patients with cataracts and age-related macular degeneration: a long-term supplementation study. *J. Sci. Food Agric.* 81: 904-909.
- Olson, J. A. (1999) Carotenoids. In: Shils ME, Olson JA, Shike M, Ross AC, eds *Modern Nutrition in Health and Disease*, 9th edition. Baltimore MD: Williams & Wilkins. pp. 525-541.
- Olson, J. A. and Krinsky, N. I. (1995) Introduction: the colorful, fascinating world of the carotenoids: important physiologic modulators. *FASEB. J.* 9: 1547-1550.
- Park, P. K., Kim, E. Y., Chu, K. H. (2007) Chemical disruption of yeast cells for the isolation of carotenoid pigments. *Separation and Purification Technology* 53: 148-152.
- Peng, Z. F., Strack, D., Baumert A., Subramaniam, R., Goh, N. K., Chia, T. F., Tan, S. N., Chia, L. S. (2003) Antioxidant flavonoids from leaves

- of *Polygonum hydropiper* L. *Phytochemistry* 62: 219-228.
- Philip, T. and Berry, J. W. (1975) Nature of lutein acylation in marigold (*Taget erecta*) flower. *J. Food Sci.* 40: 1089-1090.
- Prosky, L. and DeVries, J. (1992) Controlling dietary fiber in food products. New York: Van Nostrand Reinhold. pp. 14–31.
- Quackenbush, F. W., Firch, J. G., Raboum, J. W., Mcquistan, M., Petzold, E. W., Kargl, T. E. (1961) Analyses of carotenoids in corn grain. *J. Agric. Food Chem.* 9: 132-135.
- Que, F., Mao, L. C. and Zheng, X. J. (2007) In vitro and vivo antioxidant activities of daylily flowers and the involvement of phenolic compounds. *Asia Pacific Journal of Clinical Nutrition* 16(Suppl. 1): 196–203.
- Rock, C. L., Lovalvo, J. L., Emenhiser, C., Ruffin, M. T., Flatt, S. W., Schwartz, S. J. (1998) Bioavailability of β -carotene is lower in raw than in processed carrot and spinach in women. *J. Nutr.* 128: 913-916.
- Rodriguez-Amaya, D. B. (1989) Critical review of provitamin A determination in plant foods. *J. Micronutrient Anal.* 5: 191-225.
- Rouseff, R. L., Sadler, G. D., Putnam, T. J. and Davis, J. E. (1992) Determination of β -carotene and other hydrocarbon carotenoids in red grapefruit cultivars. *J. Agric. Food Chem.* 40:47.
- Saleh, M. H., Tan, B. (1991) Separation and identification of cis/trans carotenoid isomers. *J. Agric. Food Sci.* 39: 1438.
- Sanchez-Moreno, C., Satus-Gracia, M. T., Frankel, E. N. (2000) Antioxidant activity of selected Spanish wines in corn oil emulsions. *J. Agric. Food Chem.* 48: 5581-5587.
- Sander, L. C., Sharpless, K. E., Craft, N. E. and Wlse, S. A. (1994) Development of engineered stationary phases for the separation of carotenoid isomers. *Anal. Chem.* 66l: 1667-1674.
- Sauberlich, H. E. (1987) Vitamins – how much is for keeps. *Nutr. Today* 22: 20-28.
- Seddon, J. M., Ajani, U. A., Sperduto, F. L. D., Hiller, R., Blair, N., Burton, T. C., Farber, M. D., Gragoudas, E. S., Haller, J., Miller, D. T., et al., (1994). Dietary carotenoids, Vitamins A, C, and E, and advanced age-related macular degeneration. Eye Disease Case–Control Study Group. *Jam.* 272, 1413–1420. examination survey. *Am. J. Epidemiol.* 153: 424-432.
- Shahidi, F. and Wanasundara, P. K. (1992) Phenolic antioxidants. *Critical Reviews in Food Science and Nutrition* 32: 67-103.
- Sharma, S. K., Maguer, M. L. (1996) Kinetics of lycopene degradation in tomato pulp solids under different processing and storage conditions. *Food Res Int.* 29(3): 309-315.
- Sharpe, L. T., Stockman, A., Knau, H., Jagle, H. (1998) Macular pigment densities derived from central and peripheral spectral sensitivity

- differences. *Vision Res.* 38: 3233–3239.
- Shi, J., Le Maguer, M., Kakuda, Y. Y., Liptay, A. (2000) Lycopene in tomatoes: chemical and physical properties affected by food processing. *Crit. Rev. Food Sci. Nutr.* 40(1): 1-42.
- Sommerburg, O., Siems, W. G., Kuijk, F. J. G. M. (2000) Localization of carotenoids in different eye tissues. *BioFactors* 11: 3–6.
- Stahl, W., Heinrich, U., Jungmann, H., Sies, H. and Tronnier, H. (2000) Carotenoids and carotenoids plus vitamin E protect against ultraviolet light-induced erythema in humans. *Am. J. Clin. Nutr.* 71: 795-798.
- Stahl, W., Sies, H. (2005) Bioactivity and protective effects of natural carotenoids. *1740*: 101-107.
- Su, Q., Rowley, K. G., Balazs, N. D. H. (2002) Carotenoids: separation methods applicable to biological samples. *Journal of Chromatography B.* 781: 393-418.
- Sun, Y. P., Chou, C. C., YU, R. C. (2009) Antioxidant activity of lactic-fermented Chinese cabbage. *Food Chem.* 115: 912-917.
- Tai, C. Y., Chen, B. H. (2001) Analysis and stability of carotenoids in flowers of daylily (*hemerocallis disticha*) as affected by various treatments. *J. Agric. Food. Chem.* 48(12): 5962-5968.
- Taiz, L., and E. Zeiger (1998). *Photosynthesis : Physiology and Ecological considerations.* *Plant Physiology* 2nd pp 227-249.
- Takashashi, Y., Sasaki, S., Takashashi, M., Okubo, S., Hayashi, M. and Tsugane, S. (2003) A population-based dietary intervention trial in a high-risk area for stomach cancer and stroke: changes in intakes and related biomarkers. *Prev. Med.* 37: 432-441.
- Tee, E. S. (1992) Carotenoids and retinoids in human nutrition. *Crit. Rev. Food Sci. Nutr.* 31(1/2): 103-163.
- Temple, A. J. (2000) Antioxidants and disease : more questions than answers. *Nutr. Res.* 20(3): 449-459.
- Thayer, S. S., and Björkman, O. (1992) Carotenoids distribution and de-epoxidation in sun and shade determined by HPLC. *Photosynthesis Research* 23: 331-343
- Truscott, T. G. (1990) The photophysics and photochemistry of the carotenoids. *J. Photochem Photobiol B. Biol.* 6: 359-371.
- Updike, A. A. and Schwartz, S. J. (2003) Thermal processing of vegetables increases cis isomers of lutein and zeaxanthin. *J. Agri. Food Chem.* 51: 6184-6190.
- Van Zeben, W., Hendriks, F. (1948) The absorption of carotene from cooked carrots. *Z. Vitam. Forsch.* 19: 265-266.
- Velioglu, Y. S., Mazza, G., Gao, L., and Oomah, B. D. (1998) Antioxidant activity and total phenolics in selected fruits, vegetables, and grain products. *J. Agric. Food Chem.* 46: 4113-4117.

- Weller, P., Breithaupt, D. (2003) Identification and quantification of zeaxanthin esters in plants using liquid chromatography-mass spectrometry. *J Agric. Food Chem.* 51:7044-7049
- Wickens, A. P. (2001) Ageing and the free radical theory. *Respir. Physiol.* 128:379-391.
- Willett, W. C., Stampfer, M. I., Underwood, B. A., Taylor, J. O., Hennekens, C. H., (1983) Vitamins A, E and carotene effect of supplementation on their plasma levels. *Am. J. Clin. Nutr.* 38: 559-66.
- Willis, M. S., Wians, F. H. (2003) The role of nutrition in preventing prostate cancer: a review of the proposed mechanism of action various dietary substances. *Clin. Chim. Acta.* 330: 57-83
- Wingerath, T., Stahl, W., Sies, H. (1995) β -Cryptoxanthin selectively increased in human chylomicrons upon ingestion of tangerine concentrate rich b-cryptoxanthin esters. *Arch. Biochem. Biophys.* 324: 385-90.
- Yeum, K. J. and Russell, R. M. (2002) Carotenoid bioavailability and bioconversion. *Annu. Rev. Nutr.* 22: 483-504.
- Yeum, K. J., Taylor, A., Tang, G., Russell, R. M. (1995) Measurement of carotenoids, retinoids, and tocopherols in human lens. *Investig. Ophthalmol. Vis. Sci.* 36: 2756-2761.
- Yoo, S. D., Greer, D. H., Laing, W. A., McManus, M. T. (2003) Changes in photosynthetic efficiency and carotenoid composition in leaves of white clover at different developmental stages. *Plant Physiol. Biochem.* 41 (10): 887-893.
- Young, A. J, Lowe, G. M. (2001) Antioxidant and prooxidant properties of carotenoids. *Arch. Biochem. Biophys.* 385: 20-27.
- Zainol, M. K., Hamid, A. A., Muse, R. (2003) Antioxidant activity and total phenolic compounds of leaf, root and petiole of four accessions of *Cemtella asiatica* (L.) Urban. *Food Chem.* 81: 575-581
- Zaripheh, S., Erdman, J. W. (2002) Factor that influence the bioavailability of Xanthophylls, *J. Nutr.* 132: 531-534.
- Zechmeister, L. (1994) Cis-trans isomerization and stereo chemistry of carotenoids and diphenyl-polyenes. *Chem. Rev.* 34: 267-322.
- Zhang, D. and Hamazu, Y. (2004) Phenolics, ascorbic acid, carotenoids and antioxidant activity of broccoli and their changes during conventional and microwave cooking. *Food Chem.* 88: 503-509.
- Ziegler, R. G. (1989). A review of epidemiologic evidence that carotenoids reduce the risk of cancer. *The Journal of Nutrition*, 119, 116-122.
- 農產品消費資訊(2004)。
- <http://www.afa.gov.tw/public/PublicUser/20041012103327055.doc>
- 農糧署運銷加工組農產加工科(2000)
- http://www.afa.gov.tw/public_index.asp?CatID=52