Contents

Chapter 1.	Introduction	1
Chapter 2.	Objectives	9
Chapter 3.	Materials and Method	10
	3.1 Sampling sites information	10
	3.2 Meteorological data	10
	3.3 Sample collection	14
	3.4 Analytical procedure	14
	3.5 Calculation of particulate and metal concentrations	16
	3.6 Quality control	21
	3.7 Pollution source identification	23
Chapter 4.	Results and Discussion	25
	4.1 Total suspended particulate concentration	25
	4.2 Metal concentration	36
	4.3 Statistic analysis	47
	4.4 Model analysis	51
Chapter 5.	Conclusions and Suggestions	56
	5.1 Conclusions	56
	5.2 Suggestions	57
Chapter 6.	References	58
Appendix A.	Metal Calibration Curve	
Appendix B.	Metal concentration of the sampling program	
Appendix C.	The parameters for TAPM and Gaussian dispersion models	
Appendix D.	其他單位分析結果;平行分析比對結果	



List of Figures

Figure 1-1.	The glass producing process	8
Figure 1-2.	The arsine treatment process	8
Figure 3-1.	The sampling site of this study during winter season, i.e., NE bound	
	wind case	9
Figure 3-2.	The apparel of TE-1000 Poly-Urethane-Foam High Volume Air	
	Sampler (General Metal Work, USA)	17
Figure 3-3.	The auto-digital hot plate	19
Figure 3-4.	The Polarized-Zeeman Atomic Absorption Spectrophotometer	
	(Z-5000, HITACHI, Japan)	20
Figure 4-1.	The average annual TSP ($\mu g/m^3$) of Taichung City between 2000	
	and 2004 compared to this study and Tsai's report	27
Figure 4-2.	The comparison of the average monthly TSP ($\mu g/m^3$) between this	
	study and the previous data (2000 to 2006) (Tsai's report, 2006)	28
Figure 4-3.	The TSP profiles during sampling period from December 2005 to	
	February 2007 at Taya, THU and LTGA sites	29
Figure 4-4.	The comparison of the tendency between TSP ($\mu g/m^3)$ and the wind	
	speed (m/s) at all sampling sites (Taya, THU and LTGA)	33
Figure 4-5.	The comparison of each sampling site for every monthly (Dec. 2005	
	to Feb. 2007) arsenic concentration (ng/m ³) in total suspended	
	particulate (TSP)	41
Figure 4-6.	The tendency of arsenic concentrations (ng/m ³) based on wind speed	
	(m/s) during sampling period (Dec. 2005 to Feb. 2007) at all	
	sampling sites	42
Figure 4-7.	The As concentrations (ng/m^3) based on wind direction at all	
	sampling sites	43

Figure 4-8.	The tendency of As concentration (ng/m^3) based on the TSP $(\mu g/m^3)$	
	concentration at all sampling sites	44
Figure 4-9.	The sampling sites for the comprehensive sampling program Jan. 12	
	and Jan. 31 2007	46
Figure 4-10.	The factor analysis of metallic elements in total suspended particles	
	at Taya, THU and LTGA site	50
Figure 4-11.	The simulation air parcel trajectory by TAPM at TA site (Feb. 01.	
	2006)	54
Figure 4-12.	The contour map for arsenic pollutant at this area	55

List of Tables

Table 1-1.	The emission standard for semiconductor manufacture in Taiwan	7
Table 3-1.	The meteorological information, which is collected from the Taiwan	
	Central Weather Bureau and the Environmental Protection	
	Administration Executive Yuan, R.O.C, includes the sampling	
	date's temperature, relative humidity, prevailing wind direction and	
	wind speed	12
Table 3-2.	The flow chart of metal analyses in TSP	18
Table 3-3.	Method detection limit (MDL) of each metal concentration by using	
	the Polarized-Zeeman Atomic Absorption Spectrophotometer	22
Table 4-1.	The yearly death toll of respiratory diseases in Taichung City	
	comparing between total suspended particulate ($\mu g/m^3$)	35
Table 4-2.	The metal concentration (ng/m ³) comparison of total suspended	
	particulate (TSP) obtained by this study and other researches	39
Table 4-3.	As concentrations (ng/m ³) at all sampling sites for the	
	comprehensive sampling programs	46
Table 4-4.	The correlation coefficients of TSP and arsenic concentrations and	
	meteorological parameters at all sampling sites	49
Table 4-5.	The high level concentrations and the simulated results of metal	
	elements at THU site during the NE wind direction and the Tang-An	
	building site date at Feb. 01. 2007	53
Table 4-6.	The verification of Gaussian dispersion model in the NE direction	
	wind seasons (2005 to 2007)	53