

參考文獻

1. Merck Index, 10 th ed., p.166, 1983, Rahway, New Jersey.
2. E. Merian (editor), 1991, “ Metals and Their Compounds in the Environment Occurrence, Analysis and Biological Relevance”, pp. 775-787, VCH Publishers, New York.
3. F. A. Cotton and G. Wilkinson (editor), 1972, “Advanced Inorganic Chemistry”, 3rd ed., pp.207-208, John Wiley and Sons, New York.
4. “Beryllium”, World Health Organization (WHO) 網站：
http://www.who.int/water_sanitation_health/GDWQ/Chemicals/berylliumfull.htm, 1996, World Health Organization, Geneva.
5. B. E. Douglas, D. H. M. Daniel and J. J. Alexander (editor), 1994, “Concepts and Models of Inorganic Chemistry”, 3rd ed., pp.225, 718-724, John Wiley and Sons, New York.
6. J. T. Kretchik, 2000, “Beryllium”, *Chem. Health Safety*, 7, 40.
7. “特定化學物質作業主管安全衛生教育訓練教材”，民國 88 年修正，第四版，pp. 25-26，中華民國工業安全衛生協會編印，台北。
8. M. Sitting, 1985, “Handbook of Toxic and Hazardous Chemicals and Carcinogens”, 2nd ed., pp.125-129, Noyes Publications, New Jersey.
9. J. L. Burguera, M. Burguera, C. Rondón, P. Carrero, M. R.



Brunetto and Y. Petit de Peña, 2000, "Determination of beryllium in natural and waste waters using on-line flow-injection preconcentration by precipitation/dissolution for electrothermal atomic absorption spectrometry", *Talanta*, 52, 27.

10. I. Nukatsuka, K. Sakai, R. Kudo and K. Ohzeki, 1995, "Studies on the adsorption of trace amounts of beryllium(II) on the surface of silica fibres from an aqueous phase for the development of a novel enrichment technique for electrothermal atomic absorption spectrometry", *Analyst*, 120, 2819-2822.
11. B. J. alloway and D. C. Ayres (editor), 1997, "Chemical Principles of Environmental Pollution", 2nd ed. , pp. 49, 208, Blackie Academic and Professional, London.
12. I. A. Saleh and I. A. Doush, 1998, "Survey of trace elements in household and bottled drinking water samples collected in Riyadh, Saudi Arabia", *Sci. Total Environ.*, 216, 181-192.
13. T. Okutani, Y. Tsuruta and A. Sakuragawa, 1993 "Determination of a trace amount of beryllium in water samples by graphite furnace atomic absorption spectrometry after preconcentration and separation as a beryllium-acetylacetone complex on activated carbon" *Anal. Chem.*, 65, 1273-1276.

14. M. C. Valencia, S. Boudra and J. M. Bosque-Sendra, 1993,
“Determination of trace amounts of beryllium in water by
solid-phase spectrophotometry”, *Analyst*, 118, 1333-1336.
15. “Beryllium and compounds”, USEPA 網站：
<http://www.epa.gov/ttn/uatw/hlthef/berylliu.html>
16. “Complete List of Agents evaluated and their
classification”, IARC 網站：
<http://monographs.iarc.fr/ENG/Classification/crthgr01.php>
17. Agency for Toxic Substances and Disease Registry (ATSDR),
1992, “Toxicological Profile for Beryllium (draft)”, U. S. Public
Health Service, U. S. Department of Health and Human
Service, Atlanta, Georgia.
18. “Current drinking water standards”, USEPA 網站：
<http://www.epa.gov/safewater/mcl.html>
19. J. Kubová, V. Nevoral and V. Streško, 1994, “Determination of
beryllium trace contents in mineral waters after
preconcentration on a chelating ion-exchanger”, *Fresenius' J.
Anal. Chem.*, 348, 287-290.
20. A. W. Stange, D. E. Hilmas and F. J. Furman, 1996, “Possible
health risks from low level exposure to beryllium”, *Toxicology*,
111, 213.
21. H. Vanhoe, C. Vandecasteele, B. Desmet and R. Dams, 1988,
“Determination of beryllium in environmental samples by

- electrothermal atomic absorption spectrometry”, *J. Anal. At. Spectrom.*, 3, 703-707.
22. I. Chamberlain , K. Adams , and S. Le , 2000 , “ICP-MS determination of trace elements in fish”, *At. Spectrosc.* , 21 , 118-122.
23. 陳輝仁 , 2005 , “錫蘭橄欖葉抗氧化成分之研究” , 國立台灣大學森林環保暨資源學研究所碩士論文 , 台北 .
24. A. Saija and N. Uccella, 2001, “Olive biophenols : functional effects on human wellbeing”, *Trends in Food Science & Technology*, 11, 357-363.
25. “Beryllium Research Highlights”, NIOSH 網站：
<http://www.cdc.gov/niosh/topics/beryllium/newsletter.html>
26. 李嘉真 , 2001 , “以石墨式原子吸光法測定頭髮中鍍之研究” , 私立東海大學環境科學系碩士論文 , 台中 .
27. M. T. Hsu, M. H. Chen, S. R. Yang, and M. S. Kuo, 2004, “Application of Acetylacetone Chelation Solid-Phase Extraction to GFAAS Measurements of Trace Amounts of Beryllium in Marine Organisms”, *Anal. Sci.*, 20, 1697-1700.
28. T. Stiegl, K. Schulze, G. Toelg and H. Zorn, 1976, “Determination of beryllium in biological materials by flameless atomic-absorption spectrometry”, *Anal. Chim. Acta*, 87, 67-78.
29. J. L. Burguera, M. Burguera, C. Rondon and P. Carrero, 1999,

- “Semi-permanent lutetium modifier for determination of beryllium in urine by electrothermal atomic absorption spectrometry”, *Spectrochim. Acta, Part B*, 54, 1743-1753.
30. H. C. Wang, H. W. Peng and M. S. Kuo, 2001, “Determination of beryllium and selenium in urine and of selenium in human serum by graphite-furnace atomic absorption spectrophotometry”, *Anal. Sci.*, 17, 527-532.
 31. H. W. Peng and M. S. Kuo , 2000, “Determination of trace amounts of beryllium in drinking water and of beryllium vapor in air by GFAAS using acetylacetone as a chelating agent”, *Anal. Sci.* , 16, 157-161.
 32. Y. Yamini, J. Hassan, R. Mohandes, and N. Bahramifar, 2002,”Preconcentration of trace amounts of beryllium in water samples on octadecyl silica cartridges modified by quinalizarine and its determination with atomic absorption spectrometry”, *Talanta*, 56, 375-381
 33. C. B. Rhoades, 1996, “Clean laboratory chemistry for the microwave-assisted digestion of botanical samples” , *J. Anal. At. Spectrom.*, 11, 751-757.
 34. B. Frengstad, A. K. M. Skrede, D. Banks, J. R. Krog and U. Siewers, 2000, “The chemistry of Norwegian groundwaters: III. The distribution of trace elements in 476 crystalline bedrock groundwaters, as analysed by ICP-MS techiques” ,

Sci. Total Environ., 246, 21-40 .

35. M. Meneses, J. M. Llobet, S. Granero, M. schuhmacher and J. L. Domingo, 1999, "Monitoring metals in the vicinity of a municipal waste incinerator : temporal variation in soil and vegetation", *Sci. Total Environ.*, 226, 157-164.
36. W. R.Wolf, M. L. Taylor, B. M. Hughes, T. O. Tiernan and R. E. Sievers, 1972, "Determination of chromium and beryllium at the picogram level (in biological and in environmental samples) by gas chromatography-mass spectrometry", *Anal. Chem.*, 44, 616-618.
37. W. Bashir and B. Paull, 2001, "Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples", *J. Chromatogr. A*, 910, 301-309.
38. H. B. Singh, N. K. Agnihotri and V. K. Singh, 1998, "Determination of trace amounts of beryllium using derivative spectrophotometry in non-ionic micellar medium", *Talanta*, 47, 1287-1296.
39. D. A. Skoog , F. J. Holler , and S. R. Crouch , 2007, "Principles of Instrumental Analysis", 6th ed., Thomson Learning , Inc. , U.S.A. , p. 238 & p. 243.
40. 紀柏享 , 楊末雄 , 孫毓璋 , 1998 , "微波消化之方法與應用", *Chemistry (R.O.C)*, 56, 269-284.
41. H. M. Kington and L. B. Jassie, 1986, "Microwave energy for

- acid decomposition at elevated temperatures and pressures using biological and botanical sample”, *Anal. Chem.*, 58, 2534-3541.
42. F. E. Smith and E. A. Aresenault, 1996, “Microwave-assisted sample preparation in analytical chemistry”, Review, *Talanta*, 43, 1207-1268.
43. K. J. Lamble and S. J. Hill, 1998, “Microwave digestion procedures for environmental matrices”, Critical Review, *Analyst*, 123, 103R-133R.
44. R. N. Sah and R. O. Miller, 1992, “Spontaneous reaction for acid dissolution of biological tissues in closed vessels”, *Anal. Chem.*, 64, 230-233.
45. S. Baldwin, M. Deaker and W. Maher, 1994, “Low-volume microwave digestion of marine biological tissues for the measurement of trace elements”, *Analyst*, 119, 1701-1704.
46. Water Co., 1999, “固相萃取(SPE)之應用及最新技術發展”, *Connections*, 1, p. 3.
47. D. Rood, 1995, “The use of solid phase extraction for environmental samples”, In Quality Assurance in Environmental Monitoring : Instrumental Methods, eds. Smbramanian, G., VCH Publishers, New York.
48. J. A. Adam , E. Booth , and J. D. H. Strickland , 1952, “The determination of microgram amount of beryllium using

- acetylacetone", *Anal. Chim. Acta*, 6, 462-471.
49. M. Takaya, 1999, "Development of an analytical method for beryllium in airbone dust by micellar electrokinetic chromatography", *J. Chromatogr. A*, , 850, 363-368.
50. A. Ringbom, 1963, "Complexation in Analytical Chemistry", Interscience Publishers, John Wiley and Sons, New York, p.321.
51. C. C. Li and M. S. Kuo , 2002 , "Application of the acetylacetone chelation solid-phase extraction method to measurement of trace amounts of beryllium in human hair by GFAAS", *Anal. Sci.*, 18, 607-609.
52. M. Ochs and S. Ivy-Ochs, 1997, "The chemical behavior of Be, Al, Fe, Ca and Mg during AMS target preparation from terrestrial silicates modeled with chemical speciation calculation", *Nucl. Instrum. Meth. Phys. Res., B*, 123, 235-240.