

參考文獻：

1. 林瑩峰，1993，微生物固定化技術應用於脫硝程序之研究，國立清華大學化學工程研究所博士論文。
2. 張志誠，1999，自營性生物脫氮法去除水源中硝酸鹽之研究，國立台灣大學環境工程研究所博士論文。
3. 張育傑，1999，利用新式薄膜反應槽去除廢水中氮之研究，國立台灣大學環境工程研究所博士論文。
4. 李黃允，以二階段人工濕地去除生活污水中之營養鹽，國立中山大學環境工程研究所，2001。
5. 李志源等人，利用人工濕地三級處理生活污水，國立台灣海洋大學河海工程學系，1997。
6. 林欣怡，以礫石床人工溼地處理工業廢水之研究，國立中山大學海洋環境及工程學系碩士論文，2000。
7. 洪國鑫，高水力負荷下溼地污染物模式分析，國立成功大學環境工程學系碩士論文，2002。
8. 溫清光、陳鴻欽，自然淨化功能之強化—河川高灘地漫流處理法研究，國立成功大學環研中心，1996。
9. 郭文健、陳瑞仁、楊磊，小規模養豬戶零排放處理技術之研究，國立屏東科技大學環保系，1996。
10. 江漢全，簡易自來水水源集飲用水衛生調查(台中縣、南投縣)，1993，行政院環境保護署研究報告，EPA-82-J102-09-04。
11. 曹以松、江漢全，簡易自來水水源集飲用水衛生調查(桃園縣)，1991，行政院環境保護署研究報告，EPA-80-J101-09-38。
12. 胡苔莉、姜祖農、黃淨珍、鄭仙偉、喻家駿，1993，苗栗地區地下水污染調查研究行政院環境保護署研究報告。
13. 張文亮、劉玉雪、李寶鍾，雲林地區地下水質污染導致抽水量降低之研究，1994，地下水資源及水質保護研討會論文專輯，第 513-520 頁。
14. 游惠宋、張王冠，洪仁陽、邵信、邱創煥，1998，飲用水含氮污染物處理

技術，自來水會刊雜誌，第 17 卷，第 4 期，第 25-29 頁。

15. 荊樹人、林瑩峰、李得元、王姿文、沈家丞、沈道剛、蔡凱元、林業偉，1998，人工溼地系統淨化污染河水的功效探討，第二十三屆廢水處理技術研討會論文集，第 294-299。
16. 林瑩峰、荊樹人、李得元、王姿文、陳益銘、顏文尚、陳韋志，2000，水產養殖廢水之人工溼地處理—啟動特性及效能，第 25 屆廢水處理技術研討會，第 888-893 頁。
17. 林瑩峰、荊樹人、李得元、王姿文、陳益銘、顏文尚、陳韋志、吳民貴、郭俊緯，2001，人工溼地在循環水養殖系統中之淨水功能・第 6 屆水再生及再利用研討會。
18. 王姿文、林瑩峰、荊樹人、李得元、陳瑋琪、黃國銓、黃炯棋，2001，有機性農藥-達有龍(Diuron)在人工濕地中降解之初步探討，第 26 屆廢水處理技術研討會。
19. 李得元、荊樹人、林瑩峰、王姿文、何茂賢、魏家美、張庭憲，2002，經 人工溼地處理後校園廢污水再利用之探討，第 7 屆水再生及再利用研討會。
20. 二行社區發展協會，2001，環保署環保示範社區計劃。
21. 郭文健、張立弘，2001，生活污水之濕地處理及再利用研究，第 6 屆水再生及再利用研討會。
22. 許文明、黃益助、王信雄、許啟裕、楊偉崙，2001，以現地及小型人工 濕地探討數種水生植物淨化養豬廢水之效能比較，第 26 屆廢水處理技術研討會。
23. 楊磊、施佩瑜，2001，以人工濕地處理煉油廢水回收再利用可行性之研究，第 6 屆水再生及再利用研討會。
24. 高志明、李黃允，2001，調查與研究自然濕地之水文現象及其對非點源 污染物之去除(III)，八十九學年度國科會永續會永續發展研究成果發表 暨研討會。
25. 李志源，2001，本土化人工濕地設計資料庫之建立(III)，八十九學年度 國科會永續會永續發展研究成果發表暨研討會。

- 26.林景行、陳明德、黃姿潔、高雨瑄、蔡宜君、孫怡，2001，人工溼地去除垃圾衛生掩埋場滲出水色度問題研究，第 26 屆廢水處理技術研討會。
- 27.楊磊，1998，人工濕地進行高含氯有機物污染場址復育之研究，國科會專題研究計劃報告(NSC87-2211-E-110-003)。
- 28.荊樹人、林瑩峰、李得元、郭富雯、楊勝傑、黃再模，1997，水生植物對於污水中磷酸鹽去除效果的探討，嘉南學報，第二十三期，第 1-12 頁。
- 29.溫清光、楊磊、郭文健、林瑩峰、荊樹人、高志明、李志源、邱文彥、王姿文、李得元，1998-2001，溼地對水資源之保育管理及永續利用(I)、(II)、(III)，國科會專題研究計劃報告。
- 30.陳世偉、周志儒、張有義、曾國鴻，2006，屏東武洛溪跌水工程暨人工溼地水質淨化整體效益，中華民國環境保護學會學刊，第二十九卷，第二期。
- 31.Alvarez-Cobelas, M.; Cirujano, S.; Sánchez-Carrillo “Hydrological and botanical man-made changes in the Spanish wetland of Las Tablas de Daimiel” , Biological Conservation, Vol.97, No.1 , pp. 89-98, 2001.
- 32.Bachmar, Y., “Groundwater as part of the water system.” In GroundWater Contamination and Control, ed. U. Zoller. Marcel Dekker, Inc, New York , 1994.
- 33.Barker, L. A., “Design considerations and applications for wetland treatment of high-nitrate waters,” Wat. Sci. Tech. 38(1), pp.389-395, 1998.
- 34.Bollmann, Annette; Conrad, Ralf “Acetylene blockage technique leads to underestimation of denitrification rates in oxic soils due to scavenging of intermediate nitric oxide” Soil Biology & Biochemistry, Vol. 29, pp. 1067-1077, 1997.
- 35.Canter, L.W., “Nitrate in Groundwater.” CRC Press, Boca Raton, USA, 1997.
- 36.Castillo, A.; llabres, P.; Mata-Alvarez, J. A Kinetic Study of a Combined Anaerobic–Aerobic System for Treatment of Domestic Sewage. Water Res, 33, 1742-1747,1999.
- 37.Casey, R. E.; Taylor, M. D.; Klaine, S. J. Localization of Denitrification

- Activity in Macropores of a Riparian Wetland. *Soil Biol Biochem*, 36, 563-569,2004.
- 38.Chen, Y.; Shen, Z.; Li, X. The use of vetiver grass (*Vetiveria zizanioides*) in the phytoremediation of soils contaminated with heavy metals. *Applied Geochemistry*, 19, 1553– 1565,2004.
- 39.C. P. Leslie Grady, Jr; Glen T. Daigger; Henry C. Lim "Biological wastewater treatment" New York. Basel, Marcel Dekker, Inc, 1999.
- 40.Croll, B. T. and Hayes, C. R., "Nitrate and water supplies in the United Kingdom." *Envir. Pollut.*, 50, pp.163-187 , 1988.
- 41.Chen, K. C. and Lin, Y. F., The relationship between denitrifying bacteria and methanogenic bacteria in a mixed culture system of acclimated sludges. *Wat. Res.* 27(12), pp. 1749-1759,1993.
- 42.Chen, K. C. and Lin, Y. F., Immobilization of microorganisms with phosphorylated PVA gel. *Enzyme Microb. Technol.* 16(Jan), pp.79-83 , 1994.
- 43.Chen, K. C., Lin, Y. F. and Houng J. Y., Performance of a continuous stirred tank reactor with immobilized denitrifiers and methanogens. *Wat. Environ. Res.* 69(2), pp.233-239,1997.
- 44.De Maeseneer,J.L., "Constructed Werlands for Sludge Dewatering", *Wat. Sci. Tech.*, Vol. 35, No. 5, pp.279-285, 1997.
- 45.David, M. B., Gentry, L. E., Kovacic, D. A. and Smith, K. M., "Nitrogen balance in and export from an agricultural watershed," *J Environ. Qual.* 26, pp.1038-1048, 1997.
- 46.Eichler, F. and Schulz, D., "The nitrogen reduction program in the Federal Republic of Germany." *Environ. Pollut.*, 102, pp.609-617, 1998.
- 47.Green, M.B., Griffin, P., Seabridge, J.K. and Dhobie, D., "Removal of Bacteria in Subsurface Flow Wetlands", *Wat. Sci. Tech.*, Vol. 35, No. 5, pp.109-116, 1997.
- 48.Gayle, B. P., Boardman, G. D., Sherrard, J. H. and Benoit, R. E., "Biological denitrification of water." *J. Enviro. Eng.*, 115, pp.930-943, 1989.

- 49.Huang, C. P., Wang, H. W., and Chiu, P. C., "Nitrate reduction by metallic iron." *Wat. Res.*, 32, No. 8, pp.2257-2264,1998.
- 50.Hoek, J. P. van der and Klapwijk, A., "Nitrate removal from ground water." *Wat. Res.*, 21, pp.989-997, 1987.
- 51.Hall, T., "Biological denitrification for potable water treatment. *J. Chem. Technol. Biotech.* 54, pp.185-186, 1992.
- 52.Hammer, D.A., "Desiging constructed wetlands systems to treat agricultural nonpoint source pollution." *Ecological Engineering*, 00, pp.1-33, 1992.
- 53.Hanson, G. C., Groffman, P. M. and Gold, A. J., "Denitrification in riparian wetlands receiving high and low groundwater nitrate input," *J. Environ. Qual.* 23(5), pp.917-922, 1994.
- 54.Horne, Alexander J. "Nitrogen removal from waste treatment pond or activated sludge plant effluents with free-surface wetlands" *Water Science and Technology*, Vol. 31, pp. 341-351 ,1995.
- 55.Ingersoll, T. L. and Baker, L. A., "Nitrate removal in wetland microcosms," *Wat. Res.* 32(3), pp.677-684, 1998.
- 56.Iversen, T. M., Grant, K., Nielsem, K., Manning and W. J., Dempster, J. P., "Nitrogen enrichment of European inland and marine waters with special attention to Danish policy measures." *Environ. Pollut.*, 102, pp.771-780,1998.
- 57.Kruithof J. C. and Koppers H. M. M., "Experiences with ground water treatment and disposal of the eliminated substances in the Netherlands." *Aqua.*, 38, pp.207-216, 1989.
- 58.Kozub, D. D. and Liehr, S. K., "Assessing denitrification rate limiting factors in a constructed wetland receiving landfill leachate," *Wat. Sci. Tech.*40(3), pp.75-82, 1999.
- 59.Kadlec, Robert H. "Deterministic and stochastic aspects of constructed wetland performance and design" *Water Science and Technology*, Vol. 35, pp. 149-156 ,1997.
- 60.Kadlec, R. H., Burgoon, P. S. and Henderson, M. E., "Integrated natural

- systems for treating potato processing wastewater," Wat. Sci. Technol. 35(5), pp.263-270, 1997.
- 61.Lin, Y. F. and Chen, K. C., Denitrification by immobilized sludge with polyvinyl alcohol gels. Wat. Sci. Technol. 28(7), pp.159-164, 1993.
- 62.Lin, Y.F. and Chen, K. C., Denitrification and methanogenesis in a co-immobilized mixed culture system. Wat. Res. 29(1), pp.35-43, 1995.
- 63.Laber, J., Perfler, R. and Haberl, R., "Two Strategies for Advanced Nitrogen Elimination in Vertical Flow Constructed Wetlands", Wat. Sci. Tech., Vol. 35, No. 5, pp.71-77, 1997.
- 64.Lin, Y. F., Jing, S. R., Lee, D. Y., and Wang, T. W., 2002a, "Nutrient removal from aquaculture wastewater using a constructed wetlands system," Aquaculture, 209(1-4), pp.169-184.
- 65.Lin, Y. F., Jing, S. R., Wang, T. W., and Lee, D. Y., 2002b, "Effects of macrophytes and external carbon sources on nitrate removal from groundwater in constructed wetlands," Environmental Pollution, 119(3), pp.413-420.
- 66.Lin, Y. F.; Jing, S. R.; Lee, D. Y.; Chang, Y. F.; Chen, Y. M.; Shih, K .C. "Performance of a Constructed Wetland Treating Intensive Shrimp Aquaculture Wastewater Under High Hydraulic Loading Rate ,",Environ Pollut, 134, 411-421,2005.
- 67.Lin, Ying-Feng; Jing, Shuh-Ren; Lee, Der-Yuan; Wang,Tze-Wen "Removal of Solids and Oxygen Demand from Aquaculture Wastewater with a Constructed Wetland System in the Start-Up Phase" Water Environment Research,Vol.74,2002
- 68.Lin, Ying-Feng; Jing, Shuh-Ren; Lee, Der-Yuan; Chang, Yih-Feng; Chen, Yi-Ming; Shih, Kai-Chung "Performance of a constructed wetland treating intensive shrimp aquaculture wastewater under high hydraulic loading rate", Environmental Pollution., Vol.134, No.3, pp.411-421, 2005.
- 69.Lowrance, R., Vellidis, G. and Hubbard, R. K., "Denitrification in a restored riparian forest wetland," J. Environ. Qual. 24(5), pp.808-815, 1995.

- 70.Menzer, R. E., In Casarett and Doull's Toxicology, ed. M. O. Amdur. J.Doull and C. D. klaassen, 4th ed., McGraw-Hill, pp. 872-902, 1993.
- 71.Mateju, V., Cizinska, S., Krejci, J. and Janoch, T., "Biological water denitrification – A review." Enzyme Micro. Technol., 14, pp.170-183, 1992.
- 72.Mehlum, T., "Treatment of landfill leachate in on-site loogon and constructed wetland", Wat. Sci. Tech., Vol. 32, No. 3, pp.129-136, 1995.
- 73.Mungur, A.S., Shutes, R.B.E., Revitt, D.M. and House, M.A. "An Assessment of Metal Removal by a Laboratory Scale Wetlands", Wat. Sci. Tech., Vol. 35, No. 5, pp.125-133, 1997.
- 74.Mitsch, William J.; Zhang, Li; Anderson, Christopher J.; Altor, Anne E.; Hernández, Maria E. "Creating riverine wetlands: Ecological succession, nutrient retention, and pulsing effects" Ecological Engineering, Vol.25, pp.5510– 527,2005.
- 75.Mitsch, William J.; Zhang, Li; Anderson, Christopher J.; Altor, Anne E.; Hernández, Surampalli, R. Y.; Chou, S. C.; Banerji, S. K. "Performance evaluation of overland flow wastewater treatment system under winter and summer conditions", Journal of cold regions engineering, Vol.10, No.4, 1996.
- 76.Pavel, E. W., Reneau, R. B. Jr., Berry, D. F., Smith, E. P. and Mostaghimi, S., "Denitrification potential of nontidal riparian wetland soil in the Virginia Coastal plain," Wat. Res. 30(11), pp.2798-2804, 1996.
- 77.Rogaila, F., Lurminat, G. D. E., Coutelle, J. and Godart, H., "Experience with nitrate removal methods from drinking water." In Proceedings of NATO advanced Researcher Workshop. University of Nebraska, Lincoln, Nebraska, 1990.
- 78.Rivera, F., Warren, A., Curds, C.R., Robles, E., Gutierrez, A., Gallegos, E. and Calderon, A., "The Application of the Root Zone Methods for the Treatment and Reuse of High-Strength Abattoir Waste in Maxico", Wat. Sci. Tech., Vol. 35, No. 5, pp.271-278, 1997.
- 79.Russel, J. M., van Oostrom, A. J. and Lindsey, S. B., "Denitrifying sites in

- constructed wetlands treating agricultural industry waste: a note," Environmental Technology 15(1), pp.95-99 , 1994.
- 80.Reilly, J. F., Horne, A. J., and Miller, C. D., "Nitrate removal from a drinking water supply with large free-surface constructed wetlands prior to groundwater recharge," Ecological Engineering 14, pp.33-47, 2000.
- 81.Shuval, H.L. and Gruener, N., "Infant methemoglobinemia and other health effects of nitrates in drinking water." Progress in Water Technology, 8, pp.183-193, 1977.
- 82.Sorg T. J., , "Treatment technology to meet the interim primarydrinking water regulation for inorganics." J. Am. Water Works Assoc. 70, pp.102-112 1978.
- 83.Surampalli, R. Y.; Chou, S. C.; Banerji, S. K. "Performance Evaluation of Overland Flow Wastewater Treatment System Under Winter and Summer Conditions." J of cold reg eng, 10, 163-177,1996.
- 84.Tanski, H. H. and Airaksinen, A. K., "The bacterial denitrification in groundwater." Wat. Sci. Tech. 20, pp.225-226, 1988.
- 85.Thomas, P.R., Glover, P. and Kalaroopan, T., "An evaluation of pollutant removal from secondary treated sewage effluent using a constructed wetland", Wat. Sci. Tech., Vol. 32, No. 3, pp.87-93, 1995.
- 86.Tarutis, W. J., and Unz R. F., "Ion and manganese release in coal mine drainage wetland microcosms", Wat. Sci. Tech., Vol. 32, No. 3, pp.187-192, 1995.
- 87.Vrhovsek, D., Kukanja, V. and Bulk, T., "Constructed wetland for industrial waste water treatment", Wat Res. Vol., 30, No. 10, pp2287-2292, 1996.
- 88.Von Felde, K. and Kunst, S., "N- and COD-Removal in Vertical-Flow Systems", Wat. Sci. Tech., Vol. 35, No. 5, pp.79-85 , 1997.
- 89.Van Oostrom, A. J. and Russel J. M., "Denitrification in constructed wastewater wetlands receiving high concentration of nitrate," Wat. Sci. Tech. 29, pp.7-14, 1994.
- 90.Van Oostrom, A. J., " Nitrogen Removal in Constructed Wetlands Treating

- Nitrified Meat Processing Effluent," Water Sci Technol, 32, 137-147,1995.
- 91.Verhoeven, J. T. A.; Meuleman, A. F. M. , "Wetlands for Wastewater Treatment: Opportunities and Limitations," Ecol Eng, 12, 5-12,1999.
- 92.Willems, H. P. L., Rotelli, M. D., Berry, D. F., Smith, E. P., Reneau, Jr. P. B. and Mostaghimi, S., "Nitrate removal in riparian wetland soils: effects of flow rate, temperature, nitrate concentration and doil depth," Wat. Res. 31(4), pp.841-849, 1997.
- 93.Wittgren, Hans B.; Mæhlum, Trond "Wastewater treatment wetlands in cold climates" Water Science and Technology, Vol. 35, pp. 45-53 , 1997.
- 94.Xue, Y., Kovacic, D. A., David, M. B., Gentry, L. E., Mulvaney, R. L. and Lindau, C. W., "In situ measurement of denitrification in constructed wetlands," J. Environ. Qual. 28(1), 263-269, 1999.