

## 參考文獻

- Ahonen, P. P. ; Moisala, A. ; Tapper, U. ; Brown, D. P. ; Jokiniemi, J. .K. ; Kauppinen, E. I. (2002). “Gas-phase crystallization of titanium dioxide nanoparticles”, Journal of Nanoparticle Research , 4, 43–52
- Anpo, Masakazu (1997). “Photocatalysis on titanium oxide catalysts. Approaches in achieving highly efficient reactions and realizing the use of visible light”, Catalysis Surveys from Japan, 1, 169-179.
- Asahi, R. ; Morikawa, T. ; Ohwaki, T. ; Aoki, K. ; and Taga, Y.(2001). “Visible-light photocatalysis in nitrogen-doped titanium oxides”, Science., 293, 269-271
- Battiston, G. A. ; Gerbasi, R. ; Gregori, A. ; Porchia, M. ; Cattarin, S. ; and Rizzi, G. A. (2000). “PECVD of amorphous TiO<sub>2</sub> thin films: effect of growth temperature and plasma gas composition” , Thin Solid Film, 371, 126-131.
- Ding, Z. ; Hu, X. ; Yue, P. L. ; Lu, G. ; and Greenfield, P. F. (2001). “Synthesis of anatase TiO<sub>2</sub> supported on porous solids by chemical vapor deposition,” Cataly. Today, 68, 173-182.
- Einaga, H. ; Futamura, S. ; Ibusuki, T. (2001) “Complete Oxidation of Benzene in Gas Phase by Platinized Titania Photocatalysts”, Environ. Sci. Technol., 35, 1880-1884
- Fictorie,C. P. ; Evans,J. F. and Gladfelter, W. L. (1994) “Kinetic and mechanistic study of the chemical vapor deposition of titanium dioxide thin films using tetrekis-(isopropoxo)-titanium(IV) ”, J. Vac. Sci. Technol. A, 12(4), 1108-1113
- Heo,C. H. ; Lee, S. B. and Boo, J. H. (2005) “Deposition of TiO<sub>2</sub> thin films using RF magnetron sputtering method and study of their surface characteristics”,Thin Solid Films, 475, 183-188
- Hoffmann, M. R. ; Martin, S. T. ; Choi, W. ; and Bahnemann, D. W. (1995). “Environmental Applications of Semiconductor Photocatalysis”, Chem. Rev., 95, 69-96

Huang, C. M. ; Tao, W. H. ; Huang, C. C. ; Kuo, J. C. ; and Chang, C. C. (2003) “Synergistic Effect of Plasma and Heat on Preparation of a Visible-Light-Responsive TiO<sub>2</sub> Photocatalyst.”, The Third Asia-Pacific International Symposium On The Basic And Application Of Plasma Technology , Lunghwa University of Science and technology, R.O.C.

Ihara, T. ; Miyoshi, M. ; Ando, M. ; Sugihara, S. ; Iriyama, Y. (2001). “Preparation of a visible-light-active TiO<sub>2</sub> photocatalyst by RF plasma treatment”, Journal of Materials Science., 36, 4201– 4207

Ihara, T. ; Miyoshi, M. ; Iriyama, Y. ; Matsumoto, O. ; Sugihara, S. (2003) “Visible-light-active titanium oxide photocatalyst realized by an oxygen-deficient structure and by nitrogen doping”, Applied Catalysis B: Environmental, 42, 403–409

Irie, H. ; Washizuka, S. ; Yoshino, N. and Hashimoto, K. (2003) “Visible-light induced hydrophilicity on nitrogen-substituted titanium dioxide films”, Chem. Commun., 1298–1299

Irie, H. ; Watanabe, Y. and Hashimoto, K. (2003) “Nitrogen-Concentration Dependence on Photocatalytic Activity of TiO<sub>2-x</sub>N<sub>x</sub> Powders”, J. Phys. Chem. B, 107, 5483-5486

Jung, S. C. ; Kim, S. J. ; Imaishi, N. ; and Cho, Y. I. (2005) “Effect of TiO<sub>2</sub> thin film thickness and specific surface area by low-pressure metal–organic chemical vapor deposition on photocatalytic activities.”, Applied Catalysis B: Environmental, 55, 253–257

Justicia, B. I. ; Ordejón, P. ; Canto, G. ; Mozos, J. L. ; Fraxedas, J. ; Battiston, G. A. ; Gerbasi, R. ; and Figueras, A. (2002) “Designed Self-Doped Titanium Oxide Thin Films For Efficient Visible-Light Photocatalysis”, Adv. Mater. , 14, 19, 1399

Kaliwoh,N. ; Zhang,J. Y. and Boyd, I. W. (2002) “Characterisation of TiO<sub>2</sub> deposited by photo-induced chemical vapour deposition”, Applied Surface Science 186, 241-245

Lee., D. H. ; Cho., Y. S. ; Yi, W.I. ; Kim, T.S. ; Lee, J. K. ; and Jung, H. J. (1995) “Metalorganic chemical vapor deposition of TiO<sub>2</sub> : N anatase thin film on Si substrate.”, Appl. Phys. Lett. , 66(7), 815-816

Lee, W. G. ; Woo, S. I. ; Kim, J. C. ; Choi, S. H. and Oh, K. H. (1994) "Preparation and properties of amorphous TiO<sub>2</sub> thin films by plasma enhanced chemical vapor deposition", *Thin Solid films*, 237, 105-111

Li, D. ; Haneda, H. (2003) "Synthesis of nitrogen-containing ZnO powders by spray pyrolysis and their visible-light photocatalysis in gas-phase acetaldehyde decomposition", *Journal of Photochemistry and Photobiology A: Chemistry*, 155, 171–178

Linsebigler, A. L. ; Lu, G. ; Yates, J. T. ; Jr., (1995). "Photocatalysis on TiOn Surfaces: Principles, Mechanisms, and Selected Results", *Chem. Rev.*, 95, 735-758

Liu, C. j., Vissokov, G. P., and Jang, Ben W. L. (2003) "Catalyst preparation using plasma technologies", *Catalysis Today*, 72, 173–184

Nakamura, I. ; Nobuaki, N. ; Kutsuna, S. ; Ihara , T. Sugihara, S. ; Takeuchi, K. (2000). "Role of oxygen vacancy in the plasma-treated TiO<sub>2</sub> photocatalyst with visible light activity for NO removal", *Journal of Molecular Catalysis A: Chemical.* , 161, 205–212

Nakamura, M. ; Kato, S. ; Aoki, T. ; Sirghi, L. ; and Hatanaka, Y. (2001) "Formation mechanism for TiO<sub>x</sub> thin film obtained by remote plasma enhanced chemical vapor deposition in H<sub>2</sub> –O<sub>2</sub> mixture gas plasma", *Thin Solid Films* 401, 138–144

Saha, N. C. and Tompkins, H. G. (1992) "Titanium nitride oxidation chemistry : An X-ray photoelectron spectroscopy study", *J. Appl. Phys.*, 72(7), 3072–3079

Sakthivel, S. and Kisch, H. (2003) "Photocatalytic and Photoelectrochemical Properties of Nitrogen-Doped Titanium Dioxide", *Chemphyschem* , 4, 488-492.

Takeuchi,K. ; Nakamura,I. ; Matsumoto,O. ; Sugihara,S. ; Ando,M. ; and Ihara, T. (2000) "Preparation of a Visible-Light-Responsive Titanium Oxide Photocatalyst by Plasma Treatment. ", *Chemistry Letters*, 12, 1354-1355

Umebayashi, T. ; Yamaki, T. ; Yamamoto, S. ; Miyashita, A. ; Tanaka, S. ; Sumita, T. ; Asai, K. (2003) "Sulfur-doping of rutile-titanium dioxide by ion implantation: Photocurrent spectroscopy and first-principles band calculation studies", *Journal of Applied Physics*, 93, 9, 5156

Williams, L.M. and Hess, D.W. (1983) “Structural properties of titanium dioxide films deposited in an rf glow discharge”, J. Vac. Sci. Technol. A, 1(4) ,1810-1819

Yu, J. C. ; Yu, J. ; Ho, W. ; Jiang, Z. ; and Zhang, L. (2002) “Effects of F- Doping on the Photocatalytic Activity and Microstructures of Nanocrystalline TiO<sub>2</sub> Powders”, Chem. Mater., 14, 3808-3816

Bai, H. L. ; Chen, C. C. ; Lin, C. h. ; Den, W. ; and Chang, C. L. (2004) “Monodisperse Nanoparticle Synthesis by an Atmospheric Pressure Plasma Process: An Example of a Visible Light Photocatalyst.”, Ind. Eng. Chem. Res., 43, 7200-7203

林蔡毓、謝永旭、王國華、賴保帆(2000). “以 CVD 法製備之二氧化鈦光觸媒於處理甲苯氣體之研究”，第十七屆空污研討會，國立雲林科技大學

林麗娟(1994) “X 光繞射原理及其應用”，工業材料 86 期，100-109

袁中新、蕭德福、吳政峰、洪崇軒(2000). “二氧化鈦光觸媒改質及四氯乙烯轉化率及礦化率之探討”，第十七屆空污研討會，國立雲林科技大學

楊雅葳(2003) “以氮摻雜之改質二氧化鈦探討觸媒性質與光催化效率之相關性”，碩士論文，國立交通大學環境工程研究所

陳永芳(2003) “以四異丙醇鈦為前驅物利用化學氣相沉積法和水解法製備二氧化鈦”，博士論文，國立交通大學應用化學研究所

黃相舜(2000) “電漿化學氣相沉積二氧化鈦薄膜之特性研究”， 碩士論文，國立成功大學材料科學及工程學系研究所

## 附錄




圖 2. 異丙醇標準氣體之檢量線




圖 2. 丙酮標準氣體之檢量線