

## 第六章 參考文獻

- Amann R., W. Ludwig, and K. H. Schleifer. 1995. Phylogenetic identification and in situ detection of individual microbial cells without cultivation. *Microbiological Reviews*, **59**, 143-159.
- Andrews, K. T., and B. K. C. Patel. 1996. *Fervidobacterium gondwanense* sp. nov., a new thermophilic anaerobic bacterium isolated from nonvolcanically heated geothermal waters of the great artesian basin of Australia. *International Journal of Systematic Bacteriology*, **46**, 265-269.
- Baker, G. C., J. J., Smith, and D. A. Cowan. Review and reanalysis of domain-specific 16S primer. 2003. *Journal of Microbiological Methods*, **55**, 541-555.
- Bergquist, P. L., M. D. Gibbs, D. D. Morris, V. S. J. Te'o, D. J. Saul, and H. W. Morgan. 1999. Molecular diversity of thermophilic cellulolytic and hemicellulolytic bacteria. *FEMS Microbiology Ecology*, **28**, 99-110.
- Bhat, M. K., and S. Bhat. 1997. Cellulose degrading enzymes and their potential industrial applications. *Biotechnology Advances*, **15**, 583-620.
- Bhatnagar, L., M. K. Jain, J. P. Aubert, and J. G. Zeikus. 1984. Comparison of assimilatory organic nitrogen, sulfur, and carbon sources for growth of *Methanobacterium* species. *Applied and Environmental Microbiology*, **48**, 785-790.
- Blotevogel K., and U. Fischer. 1988. Isolation and characterization of a new thermophilic and autotrophic methane producing bacterium: *Methanobacterium thermoaggregans* sp. nov. *Archaea Microbiology*, **38**, 220-222.
- Boone, D. R. 2001. Class I: Methanobacteria class. In: D. R. Boone and R. W. Catenholz (Eds.), *Bergey's Manual of Systematic Bacteriology*, 2nd ed., vol. 1, 213-235, Springer-Verlag, New York, USA.

- Boone, D. R., and W. B. Whitman. 1988. Proposal of minimal standards for describing new taxa of methanogenic bacteria. *International Journal of Systematic Bacteriology*, **38**, 212-219.
- Boyd, R.F., and Hoerl, B. G. 1991. Basic medical microbiology. Little, Brown and Co., Boston, USA.
- Bredholt, S., S. H. Jacob, P. Nielsen, I. M. Mathrani, and B. K. Ahring. 1999. *Caldicellulosiruptor kristjanssonii* sp. nov., a cellulolytic, extremely thermophilic, anaerobic bacterium. *International Journal of Systematic Bacteriology*, **49**, 991-996.
- Chen, J., and P. J. Weimer. 2001. Competition among three predominant ruminal cellulolytic bacteria in the absence or presence of non-cellulolytic bacteria. *Microbiology*, **147**, 21-30.
- Christopher H. S., K. R. Sharrock, R. M. Daniel, and H. W. Morgan. 1987. Isolation of Cellulolytic Anaerobic Extreme Thermophiles from New Zealand Thermal Sites. *Applied and Environmental Microbiology*, **53**, 832-838.
- Frederick A. R., N. L. Ward, H. W. Morgan, R. Toalster, and E. Stackebrandt. 1993. Phylogenetic analysis of anaerobic thermophilic bacteria: Aid for their Reclassification. *Journal of Bacteriology*, **175**, 4772-4779.
- Fujiwara, S. 2002. Extremophiles: Developments of their special functions and potential resources. *Journal of Bioscience and Bioengineering*, **94**, 518-525.
- Garcia, J. L., B. K. C. Patel, and B. Ollivier. 2000. Taxonomic, phylogenetic, and ecological diversity of methanogenic archaea. *Anaerobe*, **6**, 205-226.
- Gray, M. W., D. Sankoff, and R. J. Cedergren. 1984. On the evolutionary descent of organisms and organelles: a global phylogeny based on a highly conserved structural core in small subunit ribosomal

RNA. *Nucleic Acids Research*, **12**, 5837-5852.

Haki, G. D., and S. K. Rakshit. 2003. Developments in industrially important thermostable enzymes: a review. *Bioresource Technology*, **89**, 17-34.

Haruta, S., Z. Cui, Z. Huang, M. Li, M. Ishii, and Y. Igarashi. 2002. Construction of a stable microbial community with high cellulose-degradation ability. *Applied Microbiology and Biotechnology*, **59**, 529-534.

Hill, G. T., N. A. Mitkowski, L. Aldrich-Wolfe, L. R. Emele, D. D. Jurkonie, A. Ficke, S. Maldonado-Ramirez, S. T. Lynch, and E. B. Nelson. 2000. Methods for assessing the composition and diversity of soil microbial communities. *Applied Soil Ecology*, **15**, 25-36.

Huang, C. Y., B. K. Patel, R. A. Mah, and L. Baresi. 1998. *Caldicellulosiruptor owensensis* sp. nov., an anaerobic, extremely thermophilic, xylanolytic bacterium. *International Journal of Systematic Bacteriology*, **48**, 91-97.

Hungate, R. E. 1969. A roll tube method for cultivation of strict anaerobes. In: J. R. Norris and D. W. Ribbons(ed.), *Methods in Microbiology* vol. **3b**, Academic Press, Inc., New York. pp. 117-132.

Huber, H., M. J. Hohn, R. Rachel, T. Fuchs, V. C. Wimmer, and K. O. Stetter. 2002. A new phylum of Archaea represented by a nanosized hyperthermophilic symbiont. *Nature*, **417**, 63-67.

Irene, S., and C. Banks. 2005. The effect of volatile fatty acid additions on the anaerobic digestion of cellulose and glucose in batch reactors. *Process Biochemistry*, **40**, 3412-3418.

Jiang, B., S. N. Parshina, W. van Doedburg, B. P. Lomans, and A. J. M. Stams. 2005. *Methanomethylovorans thermophila* sp. nov., a thermophilic, methylotrophic methanogen from an anaerobic reactor fed with methanol. *International Journal of Systematic and Evolutionary*

*Microbiology*, **55**, 2465-2470.

Joblin, K. N., G. E. Naylor, and A. G. Williams. 1990. Effect of *Methanobrevibacter smithii* on xylanolytic activity of anaerobic ruminal fungi. *Applied and Environmental Microbiology*, **56**, 2287-2295.

Kazuya, W., Y. Kodama, and S. Harayama. 2001. Design and evaluation of PCR primers to amplify bacterial 16S ribosomal DNA fragments used for community fingerprinting. *Journal of Microbiological Methods*, **44**, 253–262.

Kotelnikova S. V., A. Y. Obraztsova, G. M. Gongadze, and K. S. Laurinavichius. 1993a. *Methanobacterium thermoflexum* sp. nov. and *Methanobacterium defluvii* sp. nov., thermophilic rodshaped methanogens isolated from anaerobic digester sludge. *Systematic and Applied Microbiology*, **16**, 427-435.

Kotelnikova, S. V., A. Y. Obraztsova, K. H. Blotevogel, and I. N. Popov. 1993b. Taxonomic analysis of thermophilic strain of the gene *Methanobacterium*: reclassification of *Methanobacterium thermoalcaliphilum* as a synonym of *Methanobacterium thermoautotrophicum*. *International Journal of Systematic Bacteriology*, **43**, 591-596.

Kristjansson, J. K., and K. O. Stetter. 1991. Chapter 1: Thermophilic Bacteria. In: J. K. Kristjansson (Eds.), *Thermophilic Bacteria*, pp. 6, CRC Press, USA.

Lai, M. C., S. C. Chen, C. M. Shu, M. S. Chiou, C. C. Wang, M. J. Chuang, T. Y. Hong, C. C. Liu, L. J. Lai, and J. J. Hua. 2002. *Methanocalculus taiwanensis* sp. nov., isolated from an estuarine environment. *International Journal of Systematic and Evolutionary Microbiology*, **52**, 1799-1806.

Laurinavichus K. S., S. V. Kotelnikova, and A. Y. Obraztsova. 1988. A new species of the thermophilic methane-forming bacterium *Methanobacterium thermophilum*. *Mikrobiologiya*, **57**, 1035-1041.

- Leschine, S. B. 1995. Cellulose degradation in anaerobic environments. *Annual Reviews of Microbiology*, **49**, 399-426.
- Liu, W. T., T. L. Marsh, H. Cheng, and L. J. Forney. 1997. Characterization of Microbial Diversity by Determining Terminal Restriction Fragment Length Polymorphisms of Genes Encoding 16S rRNA. *Applied and Environmental Microbiology*, **63**, 4516-4522.
- Madigan, M. T., and J. M. Martink. 2006. Chapter 4: Cell structure and function, 68-74. *In: Biology of Microorganisms*, 11<sup>th</sup> ed., Pearson Prentice Hall, New Jersey, USA.
- Masahito T., H. Hinoki, T. Yagi, and T. Kobayashi. 1988. Isolation and characterization of an extremely thermophilic, cellulolytic, anaerobic bacterium. *Applied Microbiology and Biotechnology*, **29**, 474-479.
- Muyzer G. 1999. DGGE/TGGE: a method for identifying genes from natural ecosystems. *Current Opinion in Microbiology*, **2**, 317-322.
- Niehaus, F., C. Bertoldo, M. Kähler, and G. Antranikina. 1999. Extremophiles as a source of novel enzymes for industrial application. *Applied Microbiology and Biotechnology*, **51**, 711-729.
- Nölling, J., and J. N. Reeve. 1997. Growth- and substrate- dependent transcription of the formate dehydrogenase (*fdhCAB*) operon in *Methanobacterium thermoformicicum* Z-245. *Journal of Bacteriology*, **179**, 899-908.
- Olsen, G. J., D. J. Lane, S. J. Giovannoni, and N. R. Pace. 1986. Microbial ecology and evolution: a ribosomal RNA approach. *Annual Reviews of Microbiology*, **40**, 337-365.
- Ozkan, M., S. G. Desai, Y. Zhang, D. M. Stevenson, J. Beane, E. A. White, M. L. Guerinot, and L. R. Lynd. 2001. Characterization of 13 newly isolated strain of anaerobic, cellulolytic, thermophilic bacteria. *Journal of Industrial Microbiology and Biotechnology*, **27**, 275-280.

Reddy, D. A., M. P. Bryant, and M. J. Wolin. 1972. Characteristics of S organism isolated from *Methanobacillus omelianskii*. *Journal of Bacteriology*, **109**, 539-545.

Romana, T., and M. I. Rajoka. 2000. Methanogenesis of carbohydrates and their fermentation products by syntrophic methane producing bacteria isolated from freshwater sediments. *Bioresource Technology*, **72**, 199-205.

Saitou, N., and M. Nei. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic tree. *Molecular Biology and Evolution*, **4**, 406-425.

Skerman, V. B. D., V. McGowan, and P. H. A. Sneath. 1980. Approved lists of bacterial names. *International Journal of Systematic Bacteriology*, **30**, 225-420.

Susan M. B., R. E. Fundyga, M. W. Jeffries, and N. R. Pace. 1994. Remarkable archaeal diversity detected in a Yellowstone National Park hot spring environment. *Microbiology*, **91**, 1609-1613.

Sylvia B., I. M. Mathrani, and B. K. Ahring. 1995. Extremely thermophilic cellulolytic anaerobes from icelandic hot springs. *Antonie van Leeuwenhoek*, **68**, 263-271.

Thanakoses, P., A. S. Black, and M. T. Holtzappl. 2003. Fermentation of com stover to carboxylic acids. *Biotechnology and Bioengineering*, **83**, 191-200.

Vasanthi, A., A. Senthuran, and K. Balasubramaniam. 1996. Supplementation of whey with glucose and different nitrogen sources for lactic acid production by *Lactobacillus delbrueckii*. *Enzyme and Microbial Technology*, **19**, 482-486.

Vladimir Z., S. Mahr, K. Riedel, and K. Bronnenmeier. 1998. Properties and gene structure of a bifunctional cellulolytic enzyme (CelA) from the extreme thermophile '*Anaerocellum thermophilum*' with separate glycosyl hydrolase family 9 and 48 catalytic domains.

*Microbiology*, **144**, 457-465.

Wasserfallen, A., J. Nöling, P. Pfister, J. N. Reeve, and E. Conway de Macario. 2000. Phylogenetic analysis of 18 thermophilic *Methanobacterium* isolates supports the proposals to create a new genus, *Methanothermobacter* gen. nov., and to reclassify several isolates in three species, *Methanothermobacter thermautotrophicus* comb. nov., *Methanothermobacter wolfeii* comb. nov. and *Methanothermobacter marburgensis* sp. nov. *International Journal of Systematic Microbiology*, **50**, 43-53.

Wiegel, J. 1991. Chapter 6: The obligately anaerobic thermophilic bacteria. In: J. K. Kristjansson (Eds.), *Thermophilic Bacteria*, pp. 105-184, CRC Press, USA.

Winter j., C. Lerp, H. P. Zabel, F. X. Wildenauer, H. König, and F. Schindler. 1985. *Methanobacterium wolfeii*, sp. nov., a new tungsten-requiring, thermophilic, autotrophic methanogen. *Systematic and Applied Microbiology*, **5**, 457-466.

Winter, J. U., and R. S. Wolfe. 1980. *Acetobacterium woodii* and different strains of methanogens. *Archaea Microbiology*, **124**, 9-73.

Wu, J. H., W. T. Liu, I. C. Tseng, and S. S. Cheng. 2001. Characterization of microbial consortia in a terephthalate-degrading anaerobic granular sludge system. *Microbiology*, **147**, 373-382.

Wu, S. Y., S. C. Chen and M. C. Lai. 2005. *Methanofollis formsanus* sp. Nov., isolated from a fish pond. *International Journal of Systematic Microbiology*, **55**, 837-842.

Wyk, van J. P. H. 2002. Biodevelopment of wastepaper as a resource of renewable energy: Influence of enzyme concentration and paper amount on the bioconversion process. *Energy and Fuels*, **16**, 1277-1279.

Yang, Y., T. Tsukahara, T. Yagishita, and S. Sawayama. 2004. Performance of a fixed-bed reactor packed with carbon felt during

anaerobic digestion of cellulose. *Bioresource Technology*, **94**, 197-201.

Zeikus J.G., and R.S. Wolfe. 1972. *Methanobacterium thermoautotrophicus* sp. nov., an anaerobic, autotrophic, extreme thermophile. *Journal of Bacteriology*, **109**, 707-713.

王馨儀。2006。以牛糞肥中嗜熱厭氧菌群分解纖維素產乙醇之研究。東海大學環境科學與工程系研究所碩士論文。

行政院環保署。2002。一般事業廢棄物處理後續推動方案。  
[http://www.epa.gov.tw/attachment\\_file/200408/一般事業廢棄物處理後續推動方案.doc](http://www.epa.gov.tw/attachment_file/200408/一般事業廢棄物處理後續推動方案.doc)。

黃良銘、楊雅斐、鄭幸雄。2005。分子生物技術—尾端修飾限制酵素片段長度多形性(T-RFLP)—於環境微生物生態與環境工程相關研究之應用。中華民國環境工程學會第三十屆廢水處理技術研討會。

廖經裕。2004。以分子生物方法與培養方式分析台灣兩處溫泉之嗜熱菌族。東海大學環境科學與工程系研究所碩士論文。

賴美津。2006。厭氧環境的甲烷古菌。科學月刊，436期，270-273。