

第六章 參考文獻

- Ando, S., H. Ishida, Y. Kosugi, and K. Ishikawa. 2002. Hyperthermostable Endoglucanase from *Pyrococcus horikoshii*. *Applied And Environmental Microbiology*, **68**, 430–433.
- Arasaratnam, V., A. Senthuran, and K. Balasubramaniam. 1996. Supplementation of whey with glucose and different nitrogen sources for lactic acid production by *Lactobacillus delbrueckii*. *Enzyme and Microbial Technology*, **19**, 482-486.
- Askarieh, M. M., A.V. Chambers, F.B.D. Daniel, P.L. FitzGerald, G.J. Holtom, N.J. Pilkington, and J.H. Rees. 2000. The chemical and microbial degradation of cellulose in the near field of a repository for radioactive wastes. *Waste Management*, **20**, 93-106.
- Bayer, E. A., H. Chanzyt, R. Lamed, and Y. Shoham. 1998. Cellulose, cellulases and cellulosomes. *Current Opinion in Structural Biology*, **8**, 548-557.
- Beguín, P. 1992. Xylans and Xylanases in Progress in Biotechnology. *Elsevier Science Publisher*, **7**, 576.
- Bhat, M.K., and S. Bhat. 1997. Cellulose degrading enzymes and their potential industrial applications. *Biotechnology Advances*, **15**, 583-20.
- Boone, D. R. 2001. Class I: Methanobacteria class. Nov. In: D. R. Boone and R. W. Catenholz (Eds.), *Berger's Manual of Systematic Bacteriology*, 2nd ed. Springer-Verlag, New York, vol. **1**, 213-235.
- Bradford, M. M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*, **72**, 248-254.
- Burrell, P. C., C. O'Sullivan, H. Song, W. P. Clarke, and L. L. Blackall. 2004. Identification, Detection, and Spatial Resolution of *Clostridium* Populations Responsible for Cellulose Degradation in a Methanogenic Landfill Leachate Bioreactor. *Applied and Environmental Microbiology*, **70**, 2414–2419.

- Cooney, C. L., D.i.C. Wang, S. Wang, J. Gordon, and M. Jiminez. 1987. Simultaneous cellulose hydrolysis and ethanol production by a cellulolytic anaerobic bacterium. *Biotechnology and Bioengineering Symposium*, **8**, 103-114.
- Coughlan, M. P, K. H. Nami, H. H. Nami, L. G. Ljungdahl, J. J. Paulin, and W. E. Rigsby. 1985. The cellulolytic enzyme complex of *Clostridium thermocellum* is very large. *Biochemical and Biophysical Research Communications*, **130**, 904-909.
- Cowan, D.A. 1992. Biotechnology of the Archaea. *Trends in Biotechnology*, **13**, 315-323.
- Demirbas, A. 2001. Biomass resource facilities and biomass conversion processing for fuels and chemicals. *Energy Conversion and Management*, **42**, 1357-1378.
- Dienes, D., J. Borjesson, H. Stalbrand, and K. Reczey. 2006. Production of *Trichoderma reesei* Cel7B and its catalytic core on glucose medium and its application for the treatment of secondary fibers. *Process Biochemistry*. (In press).
- Fox, M., and T. Noike. 2004. Wet oxidation pretreatment for the increase in anaerobic biodegradability of newspaper waste. *Bioresource Technology*, **91**, 273-281.
- Haki, G.D., and S.K. Rakshit 2003. Developments in industrially important thermostable enzymes: a review. *Bioresource Technology*, **89**, 17-34.
- Hinterstoisser, B., M. Akerholm, and L. Salmen. 2003. Load Distribution in Native Cellulose. *Biomacromolecules*, **4**, 1232-1237.
- Huang, C. Y., B. K. Patel, R. A. Mah, and L. Baresi. 1998. *Caldicellulosiruptor owensensis* sp. nov., an anaerobic, extremely thermophilic, xylanolytic bacterium. *International Journal of Systematic Bacteriology*, **48**, 91-97.
- Hu, Z. H., G. Wang, and H. Q. Yu. 2004. Anaerobic degradation of cellulose by rumen microorganisms at various pH values. *Biochemical*

Engineering Journal, **21**, 59-62.

Hu, Z. H., H. Q. Yu, and R. F. Zhu. 2005. Influence of particle size and pH on anaerobic degradation of cellulose by ruminal microbes. *International Biodeterioration and Biodegradation*, **55**, 233-238.

Inglesby, M. K., G. M. Gray, D. F. Wood, K. S. Gregorski, R. G. Robertson, and G. P. Sabellano. 2005. Surface characterization of untreated and solvent-extracted rice straw. *Colloids and Surfaces Biointerfaces*, **43**, 83-94.

Itoh, T. 2003. Taxonomy of nonmethanogenic hyperthermophilic and related thermophilic archaea. *Journal of Bioscience and Bioengineering*, **96**, 203-212.

Jang, H. D., and K. S. Chen. 2003. Production and characterization of thermostable cellulases from *Streptomyces transformant* T3-1. *World Journal of Microbiology and Biotechnology*, **19**, 263-268.

Jiang, B., S. N. Parshina, W. van Doedburg, B. P. Lomans, and A. J. M. Stams. 2005. *Methanomethylovorans thermophila* sp. nov., a thermophilic, methylotrophic methanogen from an anaerobic reactor fed with methanol. *International Journal of Systematic and Evolutionary Microbiology*, **55**, 2465-2470.

Kato, S., S. Haruta, Z. J. Cui, M. Ishii, and Y. Igarashi. 2004. Effective cellulose degradation by a mixed-culture system composed of a cellulolytic *Clostridium* and aerobic non-cellulolytic bacteria. *FEMS Microbiology Ecology*, **51**, 133-142.

Kim, K. H., and J. Hong. 2001. Supercritical CO₂ pretreatment of lignocellulose enhances enzymatic cellulose hydrolysis. *Bioresource Technology*, **77**, 139-144.

Kristjansson, J. K., and K. O. Stetter. 1991. Chapter 1: Thermophilic Bacteria. In: J. K. Kristjansson (Eds.), *Thermophilic Bacteria*, pp. 6, CRC Press.

Leschine, S. B. 1995. Cellulose degradation in anaerobic environments. *Annual Review of Microbiology*, **49**, 399-426.

- Luo, Z., S. Wang, Y. Liao, and K. Cen. 2004. Mechanism study of cellulose rapid pyrolysis. *Industrial and Engineering Chemistry Research*, **43**, 5605-5610.
- Lynd, L. R., W. P. J. Z. van Willem H., and I. S. Pretorius. 2002. Microbial cellulose utilization: fundamentals and biotechnology. *Microbiology and Molecular Biology reviews*, **66**, 506–577.
- Mansfield, S. D., and R. Meder. 2003. Cellulose hydrolysis – the role of monocomponent cellulases in crystalline cellulose degradation. *Cellulose*, **10**, 159-169.
- Matsumura, Y., T. Minowa, and H. Yamamoto. 2005. Amount, availability, and potential use of rice straw (agricultural residue) biomass as an energy resource in Japan. *Biomass and Bioenergy*, **29**, 347–354.
- Mockaitis, G., S. M. Ratusznei, J. A. D. Rodrigues, M. Zaiat, and E. Foresti. 2006. Anaerobic whey treatment by a stirred sequencing batch reactor (ASBR): effects of organic loading and supplemented alkalinity. *Journal of Environmental Management*, **79**, 198–206.
- Mosier, N., R. Hendrickson, N. Ho, M. Sedlak, and M. R. Ladisch. 2005. Optimization of pH controlled liquid hot water pretreatment of corn stover. *Bioresource Technology*, **96**, 1986-1993.
- Murphy, J. D., and K. McCarthy. 2005 a. Ethanol production from energy crops and wastes for use as a transport fuel in Ireland. *Applied Energy*, **82**, 148–166.
- Murphy J. D., and K. McCarthy. 2005 b. The optimal production of biogas for use as a transport fuel in Ireland. *Renewable Energy*, **30**, 2111–2127.
- Niehaus, F., C. Bertoldo, M. Kahler, and G. Antranikina. 1999. Extremophiles as a source of novel enzymes for industrial application. *Applied Microbiology and Biotechnology*, **51**, 711-729.
- Nishino, T., I. Matsuda, and K. Hirao. 2004. All-Cellulose Composite. *Macromolecules*, **37**, 7683-7687.

- Ozturk, M. 1991. Conversion of acetate, propionate and butyrate to methane under thermophilic conditions in batch reactors. *Water Research*, **25**, 1509-1513.
- Ramachandra, T. V., N. V. Joshi, and D. K. Subramanian 2000. Present and prospective role of bioenergy in regional energy system. *Renewable and Sustainable Energy Reviews*, **4**, 375-430.
- Schwarz, W. H. 2001. The cellulosome and cellulose degradation by anaerobic bacteria. *Applied Microbiology and Biotechnology*, **56**, 634–649.
- Shoham, Y., R. Lamed, and E. A. Bayer. 1999. The cellulosome concept as an efficient microbial strategy for the degradation of insoluble polysaccharides. *Trends in Microbiology*, **275**, 7.
- Siegert, I. and C. Banks. 2005. The effect of volatile fatty acid additions on the anaerobic digestion of cellulose and glucose in batch reactors. *Process Biochemistry*, **40**, 3412–3418.
- Sun, Y. and J. Cheng. 2002. Hydrolysis of lignocellulosic materials for ethanol production: a review. *Bioresource Technology*, **83**, 1–11.
- Tabassum R., and M. I. B. Rajoka. 2000. Methanogenesis of carbohydrates and their fermentation products by syntrophic methane producing bacteria isolated from freshwater sediments. *Bioresource Technology*, **72**, 199-205.
- Thanakoses, P., A. S. Black, and M. T. Holtzapf. 2003. Fermentation of corn stover to carboxylic acids. *Biotechnology and Bioengineering*, **83**, 191–200.
- Tomasi, C., M. Baratieri, B. Bosio, E. Arato, and P. Baggio. 2006. Process analysis of a molten carbonate fuel cell power plant fed with a biomass syngas. *Journal of Power Sources*, **157**, 765–774.
- Tsai, W. T., Y. H. Chou, and Y. M. Chang. 2004. Progress in energy utilization from agrowastes in Taiwan. *Renewable and Sustainable Energy Reviews*, **8**, 461–481.

- Updegraff, D. M. 1969. Semimicro determination of cellulose in biological materials. *Analytical Biochemistry*, **32**, 420-424.
- Vařadyova, Z., I. Zelenřak, and P. Siroka. 2000. In vitro study of the rumen and hindgut fermentation of fibrous materials (meadow hay, beech sawdust, wheat straw) in sheep. *Animal Feed Science and Technology*, **83**, 127-138.
- Van Wyk, J. P.H.. 2001. Biotechnology and the utilization of biowaste as a resource for bioproduct development. *Trends in Biotechnology*, **19**, 5.
- Van Wyk, J. P. H. 2002. Biodevelopment of wastepaper as a resource of renewable energy: Influence of Enzyme Concentration and Paper Amount on the Bioconversion Process. *Energy and Fuels*, **16**, 1277-1279.
- Viles, F. J., and J. L. Silverman. 1949. Determination of starch and cellulose with anthrone. *Analytical Chemistry*, **21**, 950-953.
- Wahlund, B., J. Yan, and M. Westermarck. 2004. Increasing biomass utilisation in energy systems: A comparative study of CO₂ reduction and cost for different bioenergy processing options. *Biomass and Bioenergy*, **26**, 531-544.
- Winkelmenn, G. 1992. Microbial degradation of natural products. *Elke Littmann Co., USA*.
- Yáñez, R., J. L. Alonso, and J. C. Parajó. 2004. Production of hemicellulosic sugars and glucose from residual corrugated cardboard. *Process Biochemistry*, **39**, 1543–1551.
- Yang, Y., K. Tsukahara, T. Yagishita, and S. Sawayama. 2004. Performance of a fixed-bed reactor packed with carbon felt during anaerobic digestion of cellulose. *Bioresource Technology*, **94**, 197–201.
- Yoshioka, T., S. Hirata, Y. Matsumura, and K. Sakanishi. 2005. Woody biomass resources and conversion in Japan: The current situation and projections to 2010 and 2050. *Biomass and Bioenergy*, **29**, 336–346.
- Zeikus, J. G., M. W. Taylor, and T. D. Brock. 1969. Thermal stability of ribosomes and RNA from *Thermus aquaticus*. *Biochimica et biophysica*

acta, **1**, 243-252.

Zeikus, J. G. 1979. Thermophilic bacteria: ecology, physiology and technology. *Enzyme and Microbial Technology*, **1**, 243-252.

尤智立。2003。嗜高溫纖維分解菌纖維分解酵素的探討。國立中山大學生物科學研究所碩士論文。

王馨儀。2006。以牛糞肥中嗜熱厭氧菌群分解纖維素產乙醇之研究。東海大學，碩士論文。

吳耿東。2004。生質能源。科學發展，11月，383期，pp. 02-27。

黃啟裕。2000。中台灣地區熱泉中厭氧嗜熱菌之調查及嗜熱性木聚醣酶產生菌之篩選。行政院國家科學委員會專題研究計畫成果報告。

張添晉。2000。沼氣控制與回收再利用技術，行政院環境保護署八十九年度委辦計畫，封閉垃圾場復育綠美化執行成效評估。

蔡宜峰、黃祥慶。1991。有機堆肥製作之原理及要領，台中區農推專訊，116期，7月。

蔡信行。2003。替代燃料與再生能源。科學發展，365期，pp.62-67。

蔡珊珊。2000。台灣地熱環境嗜熱性微生物之研究及超氧歧化酶生產菌之篩選。行政院國家科學委員會專題研究計畫成果報告。